



Kubota

PARTS, ACCESSORIES & ESSENTIALS

2020-2021 CATALOGUE



QUALITY BUILT. KEEP IT THAT WAY.

WWW.KUBOTA.CA



Kubota Canada Ltd. was formed in 1975 as a Canadian company affiliated with the Kubota Corporation of Osaka, Japan. From day one, Kubota has been committed to providing quality, innovation and value to customers in Canada and around the world. This commitment has earned the Kubota brand a reputation of durability and longevity that is shared by customers and Kubota dealers alike. We are pleased to offer you this catalogue full of Accessories and Essentials to enhance your Kubota experience.

Take pride in being a Kubota owner and show your true colors with these quality products available at your local Kubota dealer.



Kubota®



CONTENTS

CHEMICALS

Chemicals	2
Paint	4
Spill Containment	6

LUBRICATION PRODUCTS

Lubricants	8
Filter Kits <i>Coming Soon!</i>	12
Grease Guns	13
Lubrication	15
Filter Wrenches	17

FUEL PRODUCTS

Fuel Containers	18
Funnels	19
Pour Spouts	20
Pumps & Drum Level Indicator	21
DEF Kits	22

TRACKS

CAMSO Tracks	23
--------------------	----

ELECTRONICS

CELLUTRAK & Karu Blades	24
TRICO® Wiper Blades	25
LED Light Products	26
Radios	28
Custom SSV & SVL Kits	30
Excavator Kits	31
Radio Accessories	32
Radio Displays	33

HAY/GRAIN

Portable Grain & Hay	
Moisture Testers	34
TAMA Products	36

POWER SOURCE

Battery Maintenance	38
Alternators & Starters	40
Jumper Cables & Spark Plugs	41

CARGO CONTROL

Cargo Control & Tarp Straps	42
Cargo Straps	43

TRAILER JACKS & LINKAGE

Trailer Jacks	44
Linkage	47
Assortments	52
Clevises	53

SHOP & SAFETY

Lift Equipment	54
Shop Products	55
Lights	56
Hand Tools	57
Trailer Testers	59
iGrip Screw Studs	60
Tire & Bolt Gauges	62
Safety Products	63
Gloves	64

SPRAYERS

Sprayers	66
----------------	----

TOOL STORAGE

BIGTOOLRACK®	68
Chests & Cabinets	70
Cargo & Tool Storage	71
Road Box & Tool Storage	72

PRESSURE WASHERS

Pressure Washers	73
Jet Series	74
Geyser Series	75
Cages Series	76
Thunder Series	77
Accessories	78

RTV & M7 ACCESSORIES

RTV Accessories	80
M7 Accessories	82

TOYS

Collectibles	84
Ride-On Toys	87
Tractors	91
Pull-back Toys	92
Preschool	93
Construction	94
Farm & Ranch Sets	95
Construction Sets	97
Building Blocks	99
Specialty Toys	101

PROMOTIONAL ITEMS

Promotional Items	104
-------------------------	-----



A

B

C

White Lithium Grease

A. 7200002862

- Excellent on all metal parts
- Provides maximum lubrication protection under all types of weather and temperature conditions
- Will not wash off, freeze or melt
- Protects against rust and salt corrosion

Chain Lube

B. 7200002861

- High-performance lubricant blend for use on all exposed roller chains to provide lubrication and corrosion protection, as well as good penetration to points of contact
- Superior surface adhesion to resist water washout and mechanical displacement

Flexi-Film® Corrosion Protection

C. 7200002865

- Use to protect all types of metal surfaces from rust, corrosion and oxidation
- The penetrating and coating action ensures moisture is displaced and further moisture intrusion prevented
- Flexi-Film® will not dry up and flake off
- Flexi-Film® will also provide lubrication to sliding surfaces preventing binding and squeaking



D

E

F

Rust Breaker Penetrating Fluid

D. 7200002864

- Unique, specialized product that works by using freezing / micro-cracking action on the affected areas or surfaces
- Its freezing effect causes surface rust to crack and break away, which then allows the penetrating oils to reach deeper into the affected areas

Foaming Penetrating Spray

E. 7200002863

- Heavy-duty lubricant and penetrant which uses a unique formulation that will penetrate rust, lubricate surfaces and parts that are tight and binding, and repel moisture from surfaces
- The foamy nature of the product assists in the product's ability to stick to the surfaces it is sprayed on

Heavy Duty Brake Cleaner

F. 7200002860

- Our highest quality Brake Cleaner and the only formulation approved and used by most global OEM vehicle manufacturers
- Provides quick and effective cleaning and drying to free brake parts from brake dust, grime and brake fluid build-up to enable the brakes to function properly without any mechanical hindrance



Equipment Wash

A. 7200002866

- Premium all-purpose cleaner
- Enhanced OEM formula

Low Foam Glass Cleaner

B. 7200002858

- Quickly dissolves and removes films and haze without streaking both interior and exterior glass
- Works well on interior chemical films, smoke films and general windshield haze

Heavy Duty Citrus Industrial Parts Cleaner with D-Limonene

C. 7200002859

- Strong, solvent-based, product, specifically designed for the effective removal of adhesive residues on glass and metal surfaces as well as industrial and machine parts

Spray & Shine

D. 7200002867

- Quick detailer, long lasting protection
- Helps keep mud, bugs and light dirt from sticking to the vehicle

Touch Screen Cleaner

E. 7200002868

- For use on any touch screen surface including GPS, vehicle DVD displays, cell phones, tablets and laptops
- Safely removes oil, grease, grime and other non-abrasive stains

Complete Kubota Care Kit

F. 7200002869

- Kit includes: Equipment Wash, Spray & Shine Detailer, Glass Cleaner, Touch Screen Cleaner, 3 Micro Fibre Towels

Anaerobic adhesives engineered to keep nuts and bolts tight under all conditions. No need for lockwashers or other mechanical fasteners. Available in Medium and High Strength formulas.

Medium Strength Thread Locker

50 mL - 72000-02626

10 mL - 72000-02627

- Screws to 3/4"
- Viscosity 1000 cp.
- Torque in lbs/Breakaway 100

High Strength Thread Locker

50 mL - 72000-02628

10 mL - 72000-02629

- Screws to 1"
- Viscosity 500 cp.
- Torque in lbs/Breakaway 200



Counter Top Display

72000-02620


Kubota® Orange

Touch-up: 70000 - 73767
 Spray: 70000 - 73710
 Quart: 70000 - 73709
 Gallon: 70000 - 73708


Kubota® Orange II

Touch-up: 70000 - 73768
 Spray: 70000 - 73713
 Quart: 70000 - 73712
 Gallon: 70000 - 73711


Kubota® Blue Enamel


Spray: 70000 - 00197
 Quart: 70000 - 00199
 Gallon: 70000 - 00200


KH Excavator Blue

Touch-up: 70000 - 73293
 Spray: 70000 - 16681
 Quart: 70000 - 16684


KX Excavator Blue

Spray: 70000 - 73736
 Quart: 70000 - 73735


KX-3 Dark Blue

Spray: 70000 - 00188
 Quart: 70000 - 02668
 Gallon: 70000 - 02669


K008 Excavator Blue


Spray: 70000 - 70474


Dark Gray Enamel

Spray: 70000 - 00210
 Quart: 70000 - 73358
 Gallon: 70000 - 73296


Gray Enamel

Spray: 70000 - 00191


Light Gray


Spray: 70000 - 73878


ROPS Gray Semi-Gloss


Spray: 70000 - 73806


Dark Gray Semi-Gloss


Spray: 70000 - 73352
 Quart: 70000 - 73353
 Gallon: 70000 - 73354


Silver Metallic


Spray: 70000 - 73766


Beige Enamel

Spray: 70000 - 00195


Off-White Enamel

Spray: 70000 - 00211


White Enamel


Spray: 70000 - 73758


Gray Primer

Spray: 70000 - 00371
 Quart: 70000 - 00372
 Gallon: 70000 - 00373


Black Enamel


Spray: 77700-06430


Ebony Chrome


Spray: 77700 - 03528
 Quart: 77700 - 03581


Excavator Black


Spray: 77700 - 01865
 Quart: 77700 - 01866
 Gallon: 77700 - 01867


Bright Silver Metallic


Spray: 70000 - 00465


Dark Gray

Spray: 70000 - 00210
 Quart: 70000 - 73358
 Gallon: 70000 - 73296


Black Texture Enamel

Spray: 77700 - 08685


RTV Black S/G Enamel

Spray: 77700 - 08721

NOTE: Colours shown are produced as close as modern printing techniques permit, and are only approximate representations of the actual colors.

Kubota® Genuine Parts are designed and engineered to original factory specifications. For reliable, long-lasting performance of your Kubota® equipment, look for Kubota® Genuine Parts.

Kubota® Paints for use on the machinery after sale have been designed to factory standards for colour and appearance with ease of application. The paints are available in aerosol cans, and in many colours, quarts and gallons.

DIRECTIONS FOR USE

This acrylic or alkyd (depending on colour) system has been developed as a fast drying, versatile, finishing enamel for use on Kubota® equipment after the sale. It offers quick dry times, high gloss with good colour and gloss retention.

SURFACE PREPARATION

Service expectancy of any coating system is primarily dependent upon good surface preparation. The substrate to be coated should be free of rust, mill scale, oil and other contaminants, including salt deposits. Smooth edges of scratches, chips, etc. with fine sand paper before spraying. A primer may be required for long-term protection.

REDUCTION

This coating system can be reduced with most aromatic solvents. Use Xylene as a fast reducer in normal and cool conditions and D-100 as a reducer in warmer conditions to prevent dusting. For air spray, reduce 20% to 30% by volume, and for airless or air-assisted airless, reduce up to 15%. NO REDUCTION IS NECESSARY FOR AEROSOL PACKAGING.

APPLICATION

Spray the reduced material or aerosol can in several light coats spaced 5 to 10 minutes apart. Do not try and cover completely in heavy coats or material will run and sag. Do not attempt to cover in one coat.

DRY TIME

The system will dry to touch in 30 minutes and can be recoated up to 8 hours. After 8 hours, apply a small test patch to check evidence of lifting before proceeding with a full recoat. Wait a minimum of 24 hours before buffing. Dry time is dependent upon temperature and humidity.

Typical Properties (varies by colour):

Weight Solids:	48%
Volume Solids:	36%
VOC's:	4.40 lbs/gal (bulk)

Coverage: 580 ft²/gal at 1 mil

Solvent Content (typical):

Xylene
Aromatic 100
VM&P Naphtha
Mineral Spirits



Commando Spill Containment Kit

77700-09774

- Ideal for transportation, pesticide-hauling vehicles, chemical handlers or haulers. Also ideal for mixing and storage areas.
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Fluid pickup rating is 5 gallons per kit
- Each kit includes: Qty 1 - Highly visible yellow chemical-resistant carry bag, Qty 1 - Bag of General Absorbent (77700-09776), Qty 2 - Diking tubes (3.5" x 48"), Qty 4 - Pillows (8.5" x 17.5" x 2"), Qty 2 - Temp spill disposable clean-up bags, Qty 1 - Pair 15 mil nitrile gloves, Qty 1 - Pair safety goggles, Qty 1 - Pair Tychem SL Saranex boot covers and Qty 1 - Instruction sheet



Minuteman Spill Containment Kit

77700-09775

- Ideal spill response kit for transportation, trucking and general chemical spills
- Absorbs up to 7 times its' own weight in liquid
- Absorbs spills 3 times faster than the leading brand and does not leave residue behind
- Pickup rating is 5-6 gallons of liquid per kit
- Each kit includes: Qty 1- Highly visible orange chemical-resistant carry bag, Qty 1 - Bag of General Absorbent (77700-09776), Qty 3 - Diking tubes (3.5" x 48"), Qty 2 - Twin pillows (26" x 16" x 2"), Qty 1 - Pair 15 mil nitrile gloves, Qty 1 - Pair of safety goggles, Qty 1 - Pair rubber boot/shoe covers (X-LRG), Qty 2 - Temp spill disposable clean-up bags, Qty 2 - Hazardous waste labels, Qty 2 - Non-Hazardous waste labels and Qty 1 - Instruction sheet



Shop Service Bay 30 Gallon Kit

77700-09779

- Ideal for manufacturing plants, warehouse, chemical storage, and mixing and loading areas
- Comes in a weatherproof drum
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- After cleanup, drums can serve as sealed, safe storage and disposal containers for absorbed spill materials
- Each kit includes 15 Chemsorb® GA Diking Tubes, 10 Chemsorb® GA Pillows, 4 HazMat Disposal Bags, 2 Tychem SL Saranex Coveralls, 2 pair Splash Goggles, 2 pair Rubber HazMat Boots, 2 pair 15 mil Nitrile Gloves, 1 Roll Caution Tape, 4 HazMat Labels, 4 non-hazardous waste labels, 1 parts reorder form



General Absorbent Service & Parts Spill Containment

- Chemsorb® GA (General Absorbent) is the leading lightweight, fast acting absorbent formulated to quickly clean up any liquid or semi-solid spill
- Based on all natural perlite, this product is enhanced with a proprietary de-dusting technology which facilitates ease of use and fast absorption
- Absorbs 7 times more liquid than the leading clay brands and does it 3 times faster
- When swept up, the floor is left clean and dry, leaving a cleaner environment
- Meets all OSHA and EPA standards, it is silica-free and USDA and NSF approved for use in food processing facilities




Part No.	Description
77700-09776	1 Gallon
77700-09777	5 Gallon
77700-09778	Service & Parts Spill Containment 30 Gal Loose Bulk

Chemsorb® Heavy Duty Absorbent Barrel Top Pads

77700-10735


- The 22" diameter universal drum toppers will fit standard 55-gallon drums and stop liquids from reaching the floor
- Universally absorbs all liquids, trapping them inside the dimpled structure
- Rapidly soaks up all liquids, both oil-based and water-based
- Packed 10 per box



Chemsorb® Oil Only Absorbent Pads

77700-10734

- 15" x 18" — 50 per box
- Absorbs the oil and leaves the water behind
- Hydrocarbon-based fluids stick to the fibers while water is repelled
- Meltblown sorbent pads made from a single layer of strong, uniform polypropylene fibers
- Formulated to quickly clean up hydrocarbon liquids including: oil, gasoline, diesel fuel, aviation fuel, petroleum, kerosene, motor oils and transmission oils
- Incinerates to less than two percent ash, will not mildew and will float indefinitely



Chemsorb® General Absorbent Woven Diking Tubes

77700-10736

- Surround the most aggressive spill with our rugged 3.5" x 48" diking tubes that absorb oil, fuel, water, coolants and more
- Designed to be rugged and durable enough to survive real world application including: spills, leaks, discharges, drips and leaching
- Pulls the liquid into its' core and traps it, leaving a dry and residue-free surface
- Absorbs up to 7 times its' own weight in liquid—use less product and pick up 5 times more than clay products
- 5 Pack

For reliable and long lasting performance of your Kubota equipment... choose Genuine Kubota lubricants, greases and chemicals

Premium Synthetic Heavy Duty Grease

70000-10401

- Multi-purpose, waterproof, food grade lubricant
- Provides excellent protection from rust and corrosion
- Resistant to extreme temperatures from -40°C to 200°C
- Withstands extreme pressure from heavy loads, high speed



H2Blu Diesel Exhaust Fluid (DEF)

9.46L Jug - 7200002647

205L Drum - 2000002648

- H2Blu Diesel Exhaust Fluid (DEF) is nontoxic, stable, odorless and colorless
- API certified and meets ISO 22241
- H2Blu offers a guaranteed purity to ensure your equipment meets EPA and Canadian emissions standards while performing at maximum efficiency





White RTV Silicone Liquid Gasket

7200002960

- Oxygen sensor safe
- High resistance to temperature, oils, fuel and coolants (250°C)
- Non-corrosive
- Applications: crankcase, plenum chamber, head gaskets, small engines, motorcycle, watercraft, snowmobile, ATV's



Grey Liquid Gasket

7200002959

- Bonds well on irregular surfaces
- Exceptional resistance to gasoline, oil, water, chemicals
- Strong resistance to shock, torque and Vibration
- Temperature Range: -40°C to +150°C
- Applications: engine seal, flanges, screw sections, case seal

Grey RTV Silicone Liquid Gasket

0793505250

- High resistance to temperature, oils, fuel and coolants (250°C)
- Oxygen sensor safe
- Applications: gearbox, transmission, differentials, timing chain covers, most Flanges



Grey No Acid Liquid Gasket

0793560074

- Does not contain phthalate plasticizers
- Excellent chemical resistance against engine oil
- Outstanding mechanical resistance
- Excellent adhesion even to slightly contaminated surfaces
- Extremely fast curing
- Over paintable
- Specifically designed as a liquid gasket for flange surfaces which must resist extreme vibrations e.g. tractor transmission case



Premium Heavy Duty Synthetic Engine Oil SAE 10W-30

1L 7200005297

5L 7200005298

19L Pail 7200005299

208L Drum 7200005300

- Premium quality Kubota approved engine oil for diesel engines and most gasoline engines
- Meets the requirements of all heavy duty diesel engines recommending 10W-30 API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4 engine oils
- Uses Fuel Economy technology



Premium Heavy Duty Engine Oil SAE 15W-40

1L 7200005296

5L 7200005303

19L Pail 7200005304

208L Drum 7200005305

- Premium quality Kubota approved engine oil for diesel engines and most gasoline engines
- Meets the requirements of all heavy duty diesel engines recommending 15W-40 API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4 engine oils



All Season Hydraulic Excavator Oil 46

5L 7200005283

19L Pail 7200005284

208L Drum 7200005285

- Developed for use in excavators and other hydraulic systems subjected to wide temperature variations
- Conceived for use in excavators and all hydraulic systems working outdoors under severe temperature variations: easy start-up at very low temperatures and steady operation throughout the year



K4 Trans Hydraulic Oil

5L 7200005308

19L Pail 7200005288

208L Drum 7200005289

- Meets the requirements of multiple ZF transmissions, including CVT types and is recommended for Kubota transmissions with wet brakes requiring "UDT" approval or an API GL-4 lubricant
- Also designed for applications such as hydraulic circuits, power steering and power-take-off (PTO) units with wet clutches
- Adapted to a wide range of agricultural equipment including Kubota M7 Series tractors and construction equipment



Premium UDT Hydraulic/Transmission Fluid

1L 7200005290

5L 7200005291

19L Pail 7200005292

208L Drum 7200005293

- High quality Kubota approved tractor UDT fluid
- Specially formulated for transmissions with wet brakes as well as power steering and power-take-off units with wet clutches



SSV-SVL 46 Hydraulic Oil

5L 7200005309

19L Pail 7200005286

208L Drum 7200005287

- Zinc-free, high performance hydraulic fluid specially conceived for Kubota SSV and SVL loaders
- Also suitable for all kinds of hydraulic systems operating under high pressure and high temperatures



COMING SOON



GREASE GUNS

Heavy Duty Construction Grade Pistol Grip Grease Gun

77700-09766

- 7,000 PSI
- Aluminum barrel
- Cold weather design with venturi grease inlet
- Grease gun head fitted with bulk loader that doubles as an air release
- 14 oz. capacity
- Includes 18" flexible hose extension & 4-jaw coupler



Heavy Duty Construction Grade Lever Action Grease Gun

77700-09767

- 10,000 PSI

- Lightweight aluminum barrel reduces fatigue, ideal for overhead applications
- Grease gun head fitted with bulk loader and air bleeder
 - Extra strong lever handle with built-in variable stroke
 - 14 oz. capacity
- Includes 6" bent steel extension & 4-jaw coupler



19.2V Cordless Grease Gun

Includes 1 Rechargeable Battery—77700-06280

Includes 2 Rechargeable Batteries—77700-06281

- Pressure release valve prevents gun from damage due to excessive back pressure
- Up to 6,000 PSI (413 bar) output grease pressure
- Includes:
 - Durable molded case
 - One “one hour quick charge” battery charger
 - 30" (762 mm) high pressure hose with spring guard on both ends (prevents hose kinking)
 - High pressure grease coupler

Part No.	Replacement Accessories
77700-06346	30" Replacement Hose
77700-06347	Rechargeable Battery , 19.2V , 1.5 Ah, Lithium Ion
77700-06348	1 Hour Battery Charger (Lithium Ion), 110V /60 Hz, 19.2V, US Plug



Pistol Grip Grease Gun


77700-02470

- Heavy duty aluminum die cast head with air bleeder
- Comfortable one-hand operation
- Heavy duty pistol handle with rubber grip
- Develops 6,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
 - Includes 18" flexible hose extension and 4-jaw coupler

Lever Action Grease Gun

77700-02471

- Heavy duty aluminum die cast head with air bleeder
- Built-in variable stroke mechanism
- Heavy duty lever handle with grip
- Develops 10,000 PSI
- 3-way loading (14 oz. cartridge, suction and hand fill or with filler pump)
- Includes 6" steel extension and 4-jaw coupler



Mini Lever Action Grease Gun with 2 Grease Cartridges

77700-03644

2 Pack Refill (Grease Only)—77700-03523

- Aluminum die cast head
- Develops 6,000 PSI—highest in its class
- 2-way loading (3 oz. cartridge or suction)
 - Push lock plunger and plastic T-handle locks in place
- Includes 6" steel extension, 4-jaw coupler and two 3 oz. cartridges
- Two 3 oz. refill cartridges feature High-Performance Polyurea Multi-Purpose NLGI #2 grease—excellent resistance to water washout and corrosion



77700-03523

LUBRICATION

Quick Release Coupler Display

77700-10041

- Interactive countertop display for hands-on testing
- Rugged metal construction with informative graphics
- Includes six of the 77700-09000 Quick Lock Couplers for easy point of sale



Quick Lock Coupler

77700-09000

- Quick Lock Thumb Trigger releases back pressure on couplers
- No leaks once locked on
- Hands-free operation
- Rated up to 8,000 PSI
- Compatible with all grease guns
- Works with both SAE and metric fittings
- Releases from clogged grease fittings, under any pressure load



90° Coupler

77700-09001

- Working pressure 69 BAR / 1,000 PSI
- Designed for greasing fittings with limited reach, especially in low height application
- For hand operated grease guns only



4-Jaw Coupler

77700-03383


- Working pressure of 6,000 PSI
- Hardened coupler body
- Hexagonal nut for easy tightening
- 1/8" NPT



6" Steel Extension

77700-03384

- Straight adaptor
- 1/8" NPT



Heavy Duty Grease Gun Holder

77700-02474

- Rugged holder firmly secures standard size tube-style and most battery-operated grease guns
- Mount as needed with 1/4" carriage bolts (not included)



Grease Gun Holder

77700-03387

- Simple snap action design
- Perfect for safe and convenient storage of grease gun
- Mounts on almost any surface



4 Gallon Oil Drain Pan

77700-02456

- 1" diameter pour spout built into the pan
- Overall height: 5-1/2"



Flexible Grease Gun Hose

18" 77700-02473

12" 77700-02472

- Flexible hose extension for hard-to-reach places
- Minimum radius bend of 1.57"
- Hose ID: .14" / OD: .33"



6 Ounce Pistol Grip Oil Can

77700-03382

- All steel construction from tin-coated sheet
- 6" rigid spout
- Springless suction valve design provides trouble-free performance



Oil Drip Tray

77700-02455

- 22" x 22" x 1-1/2"
- 3 gallon capacity
- Chemically resistant polypropylene



Grease Fitting Tool

77700-03385

- Designed for removing worn or broken threads
- Hex size: 5/16" (7 mm) and 3/8" (9 mm)
- Tap re-threads: 1/4"-28



Grease Injector Needle

77700-03386

- Lubricates in tight spaces
- Equipped with standard grease fitting without check ball
- Includes plastic protective cover



80 Piece Metric Grease Fitting Kit

77700-06283

Threads	Straight	90°
M6 x 1	20	10
M8 x 1	15	10
M10 x 1	15	10



80 Piece SAE Grease Fitting Kit

77700-06282


Threads	Straight	45°	90°
1/8" - 27 PTF	25	10	10
1/4" - 28 SAE-LT	15	10	10



Grease Joint Rejuvenator

77700-02453

- Unclog frozen grease joints
- Works on farming, excavating, construction, industrial equipment, aircraft, automobiles, trailers and more
- Includes 5" flex hose for hard-to-reach areas



FILTER WRENCHES

Oil Filter Wrench

- Features a swivel handle which allows users to get to filters in hard-to-reach areas
- Wide dimpled band securely grips filters without crushing
- Cushion grip vinyl handle



Part No.	Size	Filter Diameter
77700-03661	Small	2-13/16" to 3-5/32"
77700-03662	Medium	3-1/2" to 3-7/8"
77700-03663	Truck/Tractor	4-3/4" to 5-1/8"

Small/
Medium

Truck Filter Wrench

77700-03664

- Fits small diameter filters from 4-1/8" to 4-21/32" (105 mm to 118 mm)
- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters
- Use with 1/2" square drive



Full Range Filter Wrench Pliers

77700-03668

- 17" overall length with jaw range of 4-1/4" to 7"
- Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Heavy duty forged construction
- Rubber grip handles provide leverage and extra reach
- Serrated teeth for better grip and grabbing power



Nylon Strap Oil Filter Wrench

77700-03665

- Adjusts quickly to any spin-on filter up to 6" in diameter
- Strong nylon web belt will not slip
- Use with 1/2" square drive

Heavy Duty Filter Wrench Pliers

77700-02454

- 23" long reach for overtightened, hard-to-reach filters
- Removes any canister-type oil, hydraulic and fuel filter safely around hot engines and those hard-to-reach areas
- Works on 1-1/2" to 8" diameter filters
- Perfect for all vehicles from light trucks and autos to heavy machinery



SureCans

- Rotating nozzle dispenses fuel from the bottom for total ease of use and allows you to reach those awkward fill locations
- Allows user to control the flow speed with their hand - not their back
- Self-venting valve ensures consistent flow
- No tipping or applying pressure to the nozzle in order to use the product
- Six layer HDPE making the SureCan the most durable fuel can available

Part No.	Description	Fuel Type
77700-10682	2.2 Gallon	Gasoline
77700-10683	5 Gallon	Gasoline
77700-10684	5 Gallon	Diesel
77700-10685	5 Gallon	Kerosene
77700-10686	5 Gallon Replacement Cap/Tether & Fill Cap	-
77700-10687	2.2 Gallon Replacement Cap/Tether & Fill Cap	-



5 Gallon Type 1 Metal Safety Cans

- Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Rugged 24 gauge construction is guaranteed leak-proof
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
- FM, UL, ULC certified
- Accepted container under CARB

Part No.	Fuel Type
77700-01541	Gasoline
77700-01542	Diesel
77700-03652	Kerosene



Plastic Fuel Containers

- Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards
- Easy-flow/spill-proof spout provides safe fuel storage and easy pouring

Part No.	Capacity	Fuel Type
77700-03647	1 Gallon	Gasoline
77700-03648	2 Gallon	Gasoline
77700-03649	5 Gallon	Gasoline
77700-03650	5 Gallon	Diesel
77700-03651	5 Gallon	Kerosene



18 oz. Quick Fill Portable Fuel Bottle

77700-10697

- Convenient 18 oz. bottle for quick refill of gas powered lawn tools & equipment
- Spill-proof—no caps to unscrew
- Self-venting / auto shut-off

FUNNELS

Mr. Funnel

- Prevents customer from ruining their engines
- Removes water, dirt and debris from fuel
- Fast flow rate of up to 15 gallons per minute
- For use with portable fuel containers and fuel pumps
- Filters gasoline, diesel, heating oil and kerosene
- No replacement parts



Part No.	Flow Rate
72000-02743	2.5 GPM
72000-02744	3.5 GPM
72000-02745	5 GPM
72000-02746	15 GPM

77700-03373

77700-03374

77700-03372



77700-03371

Capped Funnel

- Ideal for agriculture and construction industry
- Fights contamination and promotes a clean workshop environment

Part No.	Capacity	Top ID	Spout ID	Height
77700-03371	1 Pint	3"	1/2"	9-1/2"
77700-03372	1-1/4 Quart	4"	5/8"	10-1/2"
77700-03373	1-1/2 Quart	4"	5/8"	17"
77700-03374	1-1/2 Quart	4"	1-1/8"	13-1/4"

Standard Screened Funnel

- Ideal for agriculture and industry
- In-spout safety screen reduces contamination
- Outer ribbing design eliminates air lock

Part No.	Capacity	Top ID	Spout ID	Height
77700-03375	1 Pint	4-1/2"	1/2"	6"
77700-03376	2 Quart	6-1/2"	1-1/16"	8-1/2"
77700-03377	6 Quart	8-1/2"	1-5/16"	10-1/2"



77700-03377



77700-03376



77700-03375

3-Quart Drum Funnel

77700-08592

- Overall Height: 9-3/16"
- Top ID: 7-1/2"
- Spout Length: 1-7/16"
- Spout OD: 2-1/4"
- 2" Thread
- Max Temp: 250° F



18" Long Reach 1 Quart Funnel

77700-03378

- 18" spout ideal for hard-to-reach or confined areas
- Spout ID: 7/16"
- Top ID: 4-3/4"



1 Pint Funnel with 21" Flex Hose

77700-03379

- Spout ID: 1/2"
- Top ID: 5"
- Fights contamination and promotes a clean workshop
- Unique design prevents leftover fluid from dripping out



Universal Pour Spout Funnel

77700-01543

- For use with Type 1 safety cans and FM certified
- Attaches quickly for safe, leak-free pouring
- The innovative hinged design allows you to fill or pour from the can without removing the funnel and takes up less space during storage

OD: 1/2"

Pour Spouts

- Flexible spout ideal for hard-to-reach areas
- Includes cap to eliminate unwanted drips
- Chemically-resistant clear tube keeps contents visible



Multi-Purpose On/Off Pour Spout

77700-03645

- On/off adjustable flow spout
- Fits quart or gallon containers
- Reduced tip for transmission filler tubes
- Flexible, clear tube keeps contents visible
- Fits in tight places



Part No.	Container/Pail Size
77700-03380	Quart, 1 Gallon & 5 Gallon
77700-03381	2-1/2 Gallon



PUMPS & DRUM LEVEL INDICATOR

Battery Operated Fluid Transfer Pump

77700-10673

- Provides quick transfer of fuel, diesel, DEF/Adblue, water & water based media
- Self-priming pump with 3V DC motor
- Convenient to operate trigger for full control on fluid outflow and no spillage even when the electric switch is on
- Flow rate: up to 2.3 GPM (9 LPM)
- Requires (2) D batteries—not included



Battery Operated Siphon Pump

77700-09771


- Multi-purpose siphon can pump up to 1.8 GPM (7 LPM)
- Powered by 2 "D" size batteries (not included)
- For use with light oils, diesel, kerosene, water & other water based media, etc.



Polypropylene Lever Style Hand Pump

7200000294

- Fits 205 litre drum
- Piston Action Polypropylene Pump, Viton and polypro seals
- Corrosion resistant
- Suitable for water based fluids such as windshield washer fluid and diesel exhaust fluid
- Also good for many acid and alkali solutions (always check fluid compatibility)



Plastic Lever Pump with 2" Bung Adapter

77700-09768

- Lever action barrel pump, designed for use with high viscosity oils, agricultural chemicals and more
- Pump design makes it extremely convenient & comfortable to pump thick oils without excessive fatigue
- Durable and versatile material construction makes this pump ideal for use with water based media, as well as select chemicals
- Built-In 2" bung adapter allows the pump to be fixed on drums with 2" opening
- Includes suction tube for use with 15-55 gallon drums & 6-1/2' x 3/4" flexible corrugated discharge hose
- Delivers up to 1 pint per stroke



19.2V Battery Operated Drum Pump

77700-09770

- AC/DC rechargeable drum pump for use with 55 gal drums or IBC's
- 19.2V Li-ion battery and 1 hour quick charger
- Delivers up to 7.4 GPM
- For use with diesel, kerosene, DEF, Adblue™, antifreeze, detergents, soap solutions, pesticides, herbicides and water-based media



Drum Level Indicator

77700-09769

- Fits 3/4" holes on drums
- Convenient method to check remaining fluid level in a 55 gallon drum
- Indicator can be adjusted to show readings in gallons or liters
- For use with oil, fuel, water and water based fluids, coolants, etc.



DEF Tote Mounting Kits (Closed system, tote not included)

- **Basic with Micro Matic Coupler: 77700-06165**

Includes Electric 110V AC DEF Pump, Stainless Steel Tote Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve

(743-097) with Tote Adapter Cap and Down Tube, Inlet Hose (EPDM) 6' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware

- **Advanced: 77700-06166**

Includes everything in the Basic with Micromatic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel

- **Premium: 77700-06167**

Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter



DEF Drum Mounting Kits (Closed System, drum not included)

- **Basic with Micro Matic Coupler: 77700-06169**

Includes Electric 110V AC DEF Pump, Stainless Steel Drum Mounting Plate, Micro Matic RSV Dispense Coupler (744-048), Micro Matic RSV Container Valve (743-097) with Down Tube, Inlet Hose (EPDM) 4' Long x 3/4" ID, Nylon Manual DEF Nozzle, Discharge Hose (EPDM) 20' Long x 3/4" ID, and Connecting Hardware

- **Advanced: 77700-06170**

Includes everything in the Basic with Micromatic Valve kit (with exception of Nylon Manual DEF Nozzle) in addition to the SS Auto Shut-Off DEF Nozzle with Swivel

- **Premium: 77700-06171**

Includes everything in the Advanced kit, in addition to the DEF Digital Turbine Meter

Micro Matic RSV Dispense Coupler 744-048

77700-06178

- Features VITON seals and 3/4" hose barb outlet that attaches to the suction side of the pump hose
- Used to connect to the container valve for clean, safe closed-system dispensing
- Self-venting coupler allows air into the container to produce a smooth flow
- 90° angle with 3/4" fittings
- Dependable VITON seals for leak-resistant performance



Micro Matic RSV Container Valve 743-097

77700-09082

- 2.5" x 5 Buttress Thread with EPDM seals
- Connects the RSV Micro Matic Dispense Coupler (77700-06178) to Tote or Drum for a closed system (Tote connection requires IBC Center Cap 749-326)
- AISI 304 Stainless Steel Construction

DEF Kit Accessories

Part No.	Description
77700-09083	Down Tube for Drum, 810 mm
77700-09084	Down Tube for Drum, 1,065 mm
77700-09085	6" ICB (Tote) Center Cap 749-326
77700-06172	Stainless Steel Tote Mounting Plate
77700-06173	Stainless Steel Drum Mounting Plate
77700-06174	Electric 110V AC DEF Pump
77700-06175	DEF Digital Turbine Meter
77700-06176	Nylon Manual DEF Nozzle
77700-06177	SS Auto Shut-Off DEF Nozzle with Swivel
77700-06179	Inlet/Suction Hose (EPDM) 4' Long x 3/4" ID
77700-06180	Suction Hose (EPDM) 5' Long x 3/4" ID
77700-06181	Inlet Hose (EPDM) 6' Long x 3/4" ID
77700-06182	Discharge Hose (EPDM) 20' Long x 3/4" ID
77700-06183	Connecting Hardware

CAMSO TRACKS

At Camso, we take pride in our understanding of equipment and applications. We're out on job sites everywhere, listening to users and learning how our rubber tracks can help their equipment perform better and last longer so that they can be more productive.



Tracks for Compact Track Loaders



CAMSO CTL HXD

THE BEST TRACK FOR DURABILITY AND PERFORMANCE

- Single-cure technology with next generation rubber compound
- Trackguard iron core with heavy-duty carcass



CAMSO CTL SD

ALL-SEASON TRACTION AND DURABILITY

- Single-cure technology with advanced rubber compound
- Trackguard iron core improves rolling path life by 100%
- High-tensile steel cables prevent corrosion

The result: a variety of tread patterns ready to work with your equipment and enhance your productivity.

Kubota offers Camso track products as a second line option to OEM tracks. See your local Kubota dealer for all of your equipment track needs.



Tracks for Mini-Excavators



CAMSO MX HXD

EXTREME RESISTANCE TO SEVERE CONDITIONS

- Patented 3S internal iron core
- High-tensile, rubber sealed steel cables protected by heavy-duty carcass and tread



CAMSO MX SD

PREDICTABLE SERVICE LIFE AND PERFORMANCE

- Patented 3S internal iron core
- High-tensile, rubber sealed steel cables prevent corrosion
- Unique 3S external iron core eliminates detracking

Over-the-Tire Tracks for Compact Skid Steer Loaders



CAMSO OTT HXD

QUICK MOUNT ATTACHMENT FOR TRACKED PERFORMANCE

- Full rubber track
- Embedded iron core with engineered wing design

Camso Sales Intelligence (Si)

Si.camso.co or on the App Store

Camso Sales Intelligence (Si) is a tool that facilitates the explanation of the features and benefits of our Material Handling, Construction and Agricultural products.

- Accessible off-line with the iOS app version
- Complete product information, including features and benefits and product sheets
- 360° views of products and action videos
- Product support information



GPS Tracking & Anti-Theft Systems

GPS Tracking: *CELLUTRAK

GPS Anti-Theft System L&M: *CELLUTRAK2

GPS Anti-Theft System SK&U: *CELLUTRAK3

NEW

- On average, 160,000 vehicles are stolen every year in Canada
- Theft prevention
- Live locating on demand
- North America wide coverage
- Prevent unauthorized usage with remote engine disable
- Birds eye view of all machines displayed in real time
- Active odometer/engine hour readings
- Access to daily, weekly and monthly reports
- Create geo zones
- Free smartphone application
- *CELLUTRAK2 and *CELLUTRAK3 includes 36 months monitoring and new plug & play harness for L&M / SK&U Construction Series



Karu Blades

- Routinely tested for hardness and ductility according to ANSI Standards
- Made from High Carbon 10B38 steel for long lasting performance and durability
- Laser trued and straightened for smooth and even grass cutting
- Quality records assure traceability all the way from the dealer, through production to the steel chemistry
- Carbide milling by professionally trained operators make the Karu blades some of the **SHARPEST** in the industry, reducing engine wear and improving performance
- Air lift height and angle allows Karu blades to be used for both mulching and bagging
- Up to 20 features scrupulously inspected prior to shipping to ensure the consumer has an affordable, quality blade
- Up to 46% more particle retention for better mulching
- 20% less power to drive blade; improves engine performance
- Less vibration prevents premature component wear
- Precision-sharpened cutting edge for a cleaner, finer cut
- Can be used for 60" and 72" side discharge mower deck

NEW

Part No.	Deck Size	Model	Mower Deck
77700-07936	60"	ZD1211	RCK60P-1200Z
77700-07938	72"	ZD331LP	RCK72P-331Z
77700-07937	72"	ZD1511LF	RCK72P-1500Z
77700-07937	72"	ZD1211L	RCK72P-1200Z
77700-06350	60"	Z725KH	RCK60P-725Z
77700-06350	60"	Z726XKW	RCK60P-725Z
77700-06350	60"	ZD321	RCK60P-331Z
77700-06350	60"	ZD323	RCK60P-331Z
77700-06350	60"	ZD326P	RCK60P-331Z
77700-06350	60"	ZD326S	RCK60P-331Z
77700-06350	60"	ZD331P	RCK60P-331Z

TRICO® WIPER BLADES

Keep mud, rain, dust, and everyday grime off the front windshield!



TRICO®

- Steel frame provides exceptional strength and durability
- Precision-cut rubber edge creates superior wiping action
- Rugged construction

Part No.	Length
7200002818	13"
7200002819	16"
7200002820	18"
7200002821	20"
7200002840	22"



TRICO Tech®

- Memory Curve Steel™ beam provides uniform pressure for a clean, clear wipe
- Superior all-weather performance
- Rugged construction

Part No.	Length
7200002822	13"
7200002823	16"
7200002824	18"
7200002825	20"
7200002841	22"



TRICO ICE®

- Teflon®-infused synthetic blended element
- Extreme winter blade technology
- Rugged construction

Part No.	Length
7200002826	13"
7200002827	16"
7200002828	18"
7200002829	20"
7200002842	22"



Flood Beam with Centre Spot Beam

7200002729

- Lamp dimension : 6-5/16" W x 1-13/16" H x 2-3/8" D stud size : 5/16"
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable e-coated steel mounting bracket



2 Pack - Flood Beam with Centre Spot Beam with Female Deutsch Connectors

7200002733

- Lamp dimension : 6-5/16" W x 1-13/16" H x 2-3/8" D, stud size : 5/16"
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable e-coated steel mounting bracket
- IP69K RoHS Dual Lamp Kit with Plug & Go Harness
- 18 ft harness with 2 mating Male Deutsch receptacles, battery connections, fuse & in dash, on/off switch

LED Flood Lamp

7200002813

- Lamp Dimension : 4-1/4" W x 4-7/8" H x 1-5/8" D stud size : 10 mm
- LED diode rated life : 30,000 hours
- Hooded High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable e-coated steel mounting bracket



LED Flood Lamp

7200002812

- 3120 Lumens
- 500 ft optimal penetration
- 16 OSRAM LEDs
- Lamp dimensions 4-1/4" W X 5" H X 1-13/16" D
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens

LED Work Lamp

7200002730

- Lamp dimension : 4-3/8" W x 4-7/8" H x 1-7/8" D, stud size : 5/16"
- LED diode rated life : 30,000 hours
- High UV resistant polyester powder coated black aluminium housing
- Polycarbonate lens
- Adjustable stainless steel mounting bracket



Square LED Flood Lamp

7200005394

- 4" x 4"
- Adjustable stainless steel mounting bracket
- 1,755 Lumens
- Opt. penetration: 400 ft.



Universal Pole Mount Kit

7200005399

- Fits on 5" Amber Beacon Light (7200005398)



5" Amber Beacon Light

7200005398

- Quad flash
- High voltage compatible up to 110V DC with efficient LEDs



Magnetic Mount Kit

7200005400

- Magnetic mount kit with cigarette 12V plug

LED Light Bars "Ultra" Series with Premium "OSRAM" LED

- Combo flood & spot beam to optimize light penetration & spread
- Durable polycarbonate lenses to resist stone chips
- UV resistant coating on the reflective cups to prevent cracking
- Weatherproof sealed connections
- Polyester coating to reduce fading & discolouration
- Each lamp comes with sealed connector.
- 18 ft Plug & Go Harness with in dash on/off Switch, Relay & Fuse included



Part No.	Length	Lumens	LEDs	Peak Beam Intensity #	Optimal Penetration **	Amp Draw	Mounts Included	Pkg
7200002734	8"	3,240	12	105,000 cd	2,130 ft	2 @ 12V	Side Only	Box
7200002735	14"	6,480	24	157,500 cd	2,600 ft	4 @ 12V	Side & Bottom	Box
7200002736	22"	10,800	40	270,000 cd	3,400 ft	7 @ 12V	Side & Bottom	Box
7200002737	32"	16,200	60	447,500 cd	4,380 ft	10 @ 12V	Side & Bottom	Box
7200002738	42"	21,600	80	525,000 cd	4,750 ft	14.5 @ 12V	Side & Bottom	Box
7200002739	50"	25,920	96	560,000 cd	4,910 ft	18 @ 12V	Side & Bottom	Box

AM/FM/WB/Bluetooth®/SiriusXM Ready® Weatherproof MINI Radio

77700-08973

- 12V DC Power
- Bluetooth with hands free calling
- iPhone/iPod control and charging via USB
- Rear USB
- Line level RCA outputs
- Front panel audio AUX-in for use with iPods, MP3 players & portable CD players
- AUX A/V in (front and rear)
- 7-Channel NOAA Weatherband tuner
- Weather Alert automatically switches to WB mode when NOAA warning broadcast is received
- Corrosion and UV-resistant faceplate
- Built-in job site work timer
- 12/24 hour clock
- Daylight readable display with wide viewing angle



- 3.5 mm headphone jack pigtail & 2-channel stereo speaker output
- 2-channel amplified audio output (15 watts)
- Microphone sold separately
- Dimensions: 5-3/16"W x 3-3/8"H x 1-7/8"D
- Designed to fit the existing cut out on the SVL and SSV machines



Heavy Duty MINI Waterproof AM/FM/WB/Bluetooth® Radio


77700-04757

- Same features as 77700-04752 including:
 - Works with Bluetooth wireless headphones, as well as most other Bluetooth streaming audio (A2DP) headphones
 - Front and rear AUX-inputs for a more permanent installation
- Designed to fit the existing cut out on the SVL and SSV machines

Heavy Duty MINI Waterproof AM/FM/WB/MP3 Radio

77700-04752

- 12V DC system—no batteries to recharge or replace
- Seven-channel NOAA weatherband tuner
- Built-in job site work timer
- Designed to fit the existing cut out on the SVL and SSV machines



Heavy Duty AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM Ready®/App Ready Radio

77700-04755

- 180 watt max output (45W x 4)
- iPod/iPhone controls and charging via front USB
- SiriusXM Ready (requires SiriusXM tuner and antenna)

- Seven-channel NOAA weatherband tuner and "Weather Alert"
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**
- Microphone sold separately

* Kubota M7040HDNBC, M8540HDNBC, M8540HDNBPC and all L40 series require bracket item no. 77700-05298

Heavy Duty AM/FM/USB/AUX/WB/ Bluetooth®/iPhone®/iPod®/ SiriusXM Ready® Radio

77700-06377

- Same features as 77700-04755 with the exception of a CD player and App Ready
- Includes Bluetooth Microphone (77700-04786)
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty AM/FM/WB/ USB/iPhone®/iPod®/ SiriusXM Ready® Radio

77700-04754

- Same features as 77700-04755 with the exception of a CD player and Bluetooth
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**

Heavy Duty AM/FM/WB Radio

77700-04753

- 160 watt max output (40W x 4)
- Seven-channel NOAA weatherband tuner
- Segmented, high-visibility LCD display with clock
- Two-wire hook-up prevents battery drain when vehicle is off
- *Fits all cabbed *M and *L units, RTV 1100's (RTV-1100, 1100C, X1100C), Wheel Loaders (R630NT3, R630R43 1) and B Series (B2650HSDC, B3350HSDC) **CAB models only**



Heavy Duty Short DIN Radio

77700-08588

- Waterproof face (IPX5)
- 12V DC power
- Electronic AM/FM tuner, RCA AUX input pigtail
- Includes NOAA 7-channel weather band, amber backlit control panel buttons
- 3" mounting depth
- Low battery alert

SSV Observation Camera Kit

77700-08974

- Kit includes:
 - Monitor (77700-08976)
 - Fixed angle waterproof camera 77700-09106
 - Camera mounting bracket
 - Power harness for Kubota SSV
 - Y adapter for Kubota SVL
 - Ball mount 2 X 1.7
 - 4" double mount
 - Various hardware and cable



SVL Kit

CAB 77700-04787

ROPS 77700-06119

- Kit includes:
 - MINI Radio (77700-04752)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness



SVL Kit with Bluetooth®

CAB 77700-04797

ROPS 77700-06120

- Kit includes:
 - **Bluetooth** MINI Radio (77700-04757)
 - Waterproof Speakers (77700-04759)
 - 14" Rubber Mast Antenna (77700-04761)
 - Mounting brackets
 - Adapter harness



Voyager Rear Observation Kit for Cab SVL Machines

77700-06141

SVL95-2 Machines 77700-07933

- Kit includes:
 - 4.3" heavy duty monitor 77700-06201
 - Waterproof CMOS Color Camera 77700-06202 (available separately)
 - Camera bracket
 - Monitor bracket
 - Power harness
 - Y connector
 - Hardware
 - **Optional 15' Extension Cable available, sold separately (77700-06271)**



Two Channel Bluetooth® ROPS Kit

77700-07939

- Kit includes:
 - Two fully enclosed high power waterproof 6.5" ROPS speakers
 - 50 watts RMS, 100 watts max power
 - Fits round bars 1-5/8 to 3"
 - Fits square bars 3 x 1.5" to 3 x 2"
 - Two channel waterproof Bluetooth amplifier
 - 2 x 40 watts max power
 - Square brackets included in kit, round brackets are optional



EXCAVATOR KITS

All Makes Observation Kit with 4.3" Monitor

77700-08975

- Built for severe duty environments
- CMOS Color 125° with Built-In Microphone 77700-09107
- Excellent night vision
- Three camera capability
- Bright 4.3" LCD display with anti-glare/scratch protective lens 77700-08976
- Image orientation: mirror (reversed)
- 15 ft. cable and 4 inch monitor mount included



Radio Kit for Excavators

77700-06210

• Kit includes:

- MINI radio (77700-04752)
- Weather resistant 4" speakers (77700-06375)
- Two 4" grilles (77700-06376)
- 6" rubber mast antenna (77700-04762)
- Plug N' Play radio adapter harness and speaker terminal adaptors
- Mounting brackets
- Applications include: KX71-3, KX71-3ST3, KX71-3S4, KX91-3S, KX91-3S2, U35S, U35S2, KX121-3S, KX121-3ST3, U45S, U45ST3, KX161-3ST3 (cab models only)

Radio Kits for Excavators

77700-04753A & 77700-04753B

77700-04754A & 77700-04754B

77700-04755A & 77700-04755B

77700-06377A & 77700-06377B

- Radio kits include DIN radio indicated by model number
- "A" kit includes:
 - Bullet connector KUB2 (77700-04789)
- Applications include: U35-4, KX040-4, KX057-4, U55-4 (cab and non-cab models)
- "B" kit includes:
 - ISO male to ISO female double 8-pin connector, KUB3 (77700-05318)
- Applications include: U27-4 (cab model)

77700-04753A & 77700-04753B



77700-04754A & 77700-04754B



77700-04755A & 77700-04755B



77700-06377A & 77700-06377B



4.3" Observation Monitor

77700-08976

- Three camera capability
- IPX6 rating
- Bright 4.3" LCD display with anti-glare/scratch protective lens
- Display graphic overlay shows real-time distance from objects
- Built-in speaker
- Manual or automatic source selection



Bluetooth® Microphone—Panel Mount

77700-08969

- Flush mount housing
- 39" cable length
- Locking connector
- Includes mounting bracket and blank plate
- Works with all Jensen Heavy Duty Bluetooth®-enabled radios



77700-04759

77700-06376



77700-04760



77700-06375

Speakers

Part No.	Description	Power	Sold
77700-04759	3.5" Heavy Duty Waterproof Surface Mount	120W Max.	Pair
77700-04760	4" Heavy Duty Waterproof	120W Max.	Individually
77700-06375	4" Weather Resistant Black metal grilles sold separately (77700-06376)	30W Max.	Individually



77700-04789

Bullet Connectors

- For use with 77700-04755, 77700-04754, 77700-06377 and 77700-04753 stereos

Part No.	Description
77700-04788	9-pin connector to Din radio KUB1
77700-04789	Bullet connector to Din radio KUB2
77700-05318	ISO male to ISO female double 8-pin connector KUB3



Radio Harnesses


- Your Kubota dealer offers a wide variety of harnesses that can be used to install these radios into many makes and models of equipment

Part No.	Description
77700-05368	All Makes Case Crawlers
77700-05318	All Makes CNH Current Models
77700-05319	All Makes CNH Old Models
77700-05369	All Makes Universal

14" Top or Side Mount Rubber Mast Antenna

77700-04761

- Attached 59" cable
- Rubber gasket for watertight mounting
- Mounting base adjusts 90° for either top or side mounting



6" Top or Side Mount Rubber Mast Antenna

77700-04762

- Attached 39" cable
- 6" rubber mast prevents breakage



RADIO ACCESSORIES & DISPLAYS

SiriusXM Satellite Tuner

77700-05478

- For use with SiriusXM Ready Stereos
- Compact size hides discreetly behind the dash for a fully integrated look
- Includes one magnetic antenna
- Subscription required



Omnidirectional Bluetooth® Microphone

77700-04786

- 12' cable with locking connector
- Visor clip and 3M adhesive pad included



Heavy Duty Stereos & Accessories Display

77700-04785

- Display includes:
- Heavy Duty Waterproof Bluetooth® Stereo with less than 3" chassis depth 77700-08588
- MINI Heavy Duty Radio with Bluetooth®/ SiriusXM Ready/WB/ iPhone-iPod Control and charging via USB 77700-08973
- 4" Waterproof Speakers 77700-04760



Heavy Duty SVL Rear Observation Display

77700-06159

- Display includes:
- Durable 4.3" Waterproof Monitor 77700-08976



- 4.3" Monitor 77700-06201
- Fixed Angle Waterproof Camera 77700-09106
- Waterproof Camera with Microphone 77700-06202





Why Test Hay & Grain Moisture?

According to agricultural nutrition experts, the single most important factor influencing the quality of grain, hay and silage is moisture. Moisture management is a continuous process that requires the appropriate measuring tools. Protect your investment by testing moisture content before, during and after the season accurately and quickly using **Kubota Moisture Testers**.

HST-1 Advanced Hay, Straw, and Silage Moisture Tester

77700-10675

- Automatically compensates for the bale density giving more accurate testing results
- Scales for hay/haylage, straw, hay silage, corn silage and alfalfa
- Heavy duty 20" (50.0 cm) stainless steel probe
- Automatic density compensation for more accurate results
- "Industry First" hay tester with temperature compensation
- USB port for scale and software updates, including exporting tests to your computer
- Hay and Haylage: 8% - 80%
- Straw: 8% - 25%
- Hay Silage: 30% - 84%
- Corn Silage: 40% - 76%
- Alfalfa: 8% - 75%

**MOST
ACCURATE
HAY PROBE
AVAILABLE**



Hay Core Sampler

77700-10676

- Professional hay core sampling equipment for farmers, sellers, and producers
 - Zip-lock bag attaches to the protective metal shield allowing collection of up to 20 samples with no mess or contamination
 - The inside diameter of the shaft is 7/8" allowing samples to stay loose for easy bagging with the cleanout rod between samplings
 - Includes cleanout rod for pushing hay into provided zip-lock sample bag
 - Shaft and connections are made of stainless steel
 - Sampling depth is 20"
- Sampler can be used with either a 3/8" or 1/2" drill



Windrow Hay Moisture Tester

77700-10677

- Only portable hay moisture tester available for use in the field before baling
- Quickly measures loose hay and forage from a windrow without committing the time and expense of using baling or chopping equipment before the hay is at the correct moisture levels
- Simple to use - add loose hay to a five-gallon bucket, insert tester probe and press a button
- Moisture range: 13% - 70% depending on hay tested
- Testing time: 30 - 60 seconds
- Accuracy: +/- 2% - 4%
- Display resolution: 0.1% moisture
- 9V battery required



MOISTURE TESTERS

Ag-MAC™ Plus Grain Moisture Tester with Test Weight

77700-10679


- Direct readout for 20 different grain scales
- Displays grain test weight (no pre-weighing)
- Measures moisture fast, easily, and accurately
- Non-compaction design with LCD display
- USB compatibility for updates of grain scales and firmware
- Automatic temperature compensation
- Hot corn up to 160° F (71° C)



Soil Compaction Tester

77700-10678

- Increases crop yield by measuring the extent and depth of soil compaction
- 24" stainless steel rod with adjustable shock collar to prevent damage
- Easy-to-read, color-coded, stainless steel dial that is liquid filled to reduce shock
- Durable molded housing with rubber grips
- Large and small tip included with convenient storage in tester housing
- Easy to store on wall or above workbench



MT-PRO Grain Moisture Tester

77700-06330

- Direct readout for 40 different grain scales
- Tests high moisture grain up to 40 percent
- Single-point or precision multi-point calibration to match local elevator
- Built-in average button displays the average of saved test results
- Higher-frequency, capacitive circuit for greater accuracy
- Includes protective carrying case with shoulder strap



DHT-1 Hay Moisture Tester with 18" Probe

77700-06328

- Direct readout for moisture % and temperature (°F and °C)
- Extra-rugged probe shaft made from aircraft aluminum
- Accurate throughout the normal range of stored, baled hay
- Moisture range: 14% - 44% depending on hay tested
- 9V battery required



HT-PRO Hay Moisture Tester with 20" Probe

77700-06327

- Includes calibration clip—less than 20 seconds to calibrate
- Above and below moisture limit indication
- Illuminated LCD display
- Moisture range: 8% - 44% depending on hay tested
- 9V battery required
- The first and only portable hay moisture tester with a calibration clip



TamaTwine+

- LSB - Unique development combines the strength of “traditional” 450 twine, with a dramatic increase in length
- XD - For ultimate performance



LARGE SQUARE BALES

Part No.	Twine type	Single-spool pack length	Knot strength
7200002664	Tama LSB	4,400 feet	450 lbs.
7200002691	Tama XD	3,900 feet	570 lbs.

Brazilian Gold

Premium sisal twines by COSIBRA, Brazil's most experienced twine manufacturer

- Brazil's extra-long and strong fibers ensure uniform knotless twines for both square and round bales
- Extra-long fibers for consistent trouble-free baling, uniformity, and true length
- High tensile and knot strength
- Specially treated to resist rodents and insects and biodegradable



SMALL SQUARE BALES

Part No.	Twine type	2-spool pack length	Knot strength
7200002668	9,000	9,000 feet	350 lbs.

ROUND BALES

Part No.	Twine type	2-spool pack length	Knot strength
7200002669	16,000	16,000 feet	170 lbs.

Stretch Wrap for Square or Round Bales

- Manufactured using only quality virgin polymers, including modern 5- and 6- layer modern extruded process. Fully treated with U.V. inhibitors to prolong the life of wrapped bales



SunFilm

Part No.	Description
7770006433	SunFilm 20" x 6,000' White - Thickness 1.0 mil
7770006434	SunFilm 30" x 5,000' White - Thickness 1.0 mil
7770006439	SunFilm 30" x 5,000' Green - Thickness 1.0 mil
7200002671	SunFilm Gold II 30" x 5,000' White - Thickness 6 Layer
7200002672	Hay Caps 93" x 72"
7200002673	Hay Caps 110" x 72" - 4 mil

Sigma

Part No.	Description
7200002692	Stretch Film 20" x 6,000' - Thickness 1.0 mil
7200002674	Stretch Film 30" x 5,000' - Thickness 1.0 mil
7200002675	Stretch Film 30" x 4,000' - Thickness 1.2 mil
7200002676	Stretch Film 30" x 3,000' - Thickness 1.5 mil
7200002678	5-Layer Stretch Film 30" x 5,000' - Thickness 1.0 mil
7200002681	Performance 5 Stretch Film 30" x 5,000' Green- Thickness 1.0 mil

Kubota Netwrap

The Next Generation in Bale Wrap Technology

- **Reliable and consistent.** For a trouble-free baling experience — every time.
- **Edge to Edge™ technology.** For perfect bale coverage.
- **Zebra System™.** A clear Left-Right indicator for easy and correct loading of the roll into the baler every time. Plus, at feeding time, user can quickly see which direction to unroll the bale.
- **Red End Warning.** Indicates to the operator that the end of the roll is approaching. The red stripe marks the last 240 ft.



Part No.	Product Range
77700-06454	48" x 9,840'
77700-06385	48" x 12,500'
77700-06455	51" x 9,840'
7200002688	51" x 11,500'
7200005358	64" x 7,000'
7200005359	67" x 7,000'

- **Guaranteed Length.** Every roll contains at least the guaranteed stated length, not a "plus or minus" average.
- **Carry Handles.** Easier and safer handling.
- **Edge Guards.** Protect roll from damage.
- **Unique ID Number.** Enables tracing of full production details.
- **TamaTec+.** Kubota roll feature TamaTec+, a unique combination of advanced raw materials and manufacturing techniques.

BaleBind™

A premium grade fibrillated split-film twine

- Manufactured with 100% virgin polymer resins
- UV light inhibitors to withstand intense exposure



SMALL SQUARE BALES			
Part No.	Twine type	2-spool pack length	Knot strength
7770006416	Balebind 7,200	7,200 feet	170 lbs.
7200002659	Balebind 9,000	9,000 feet	140 lbs.
7200002660	Balebind 9,000	9,000 feet	180 lbs.
7770006414	Balebind 9,600 (Orange)	9,600 feet	210 lbs.
7770006415	Balebind 9,600 (Blue)	9,600 feet	210 lbs.
7770006416	Balebind 12,000	12,000 feet	190 lbs.
LARGE SQUARE BALES			
Part No.	Twine type	Single-spool pack length	Knot strength
7770006432	Balebind 4,000	4,000 feet	450 lbs.
7200002663	Balebind 4,000	4,000 feet	550 lbs.
7200002662	Balebind 4,000	4,000 feet	650 lbs.
ROUND BALES			
Part No.	Twine type	2-spool pack length	Knot strength
7200002666	Balebind 40,000	40,000 feet	110 lbs.
7200002667	Balebind 28,000 (Blue)	28,000 feet	110 lbs.
7200002693	Balebind 28,000 (Orange)	28,000 feet	110 lbs.
ROUND BALES - SOLAR			
Part No.	Twine type	Single-spool pack length	Knot strength
7200002670	Clearfield™	20,000 feet	110 lbs.

Why Promote Battery Maintenance?

"The Average battery life has become shorter as energy requirements have increased. Life span depends on usage; 6 months to 48 months, yet only 30% of all batteries actually reach the 48-month mark"! To keep your lead acid battery in top condition for many years, use an OptiMATE battery charger!

Why OptiMATE Battery Chargers?

1. **TESTS** battery condition at connection, decides optimal charge method, then charges.
2. **EQUALIZES BATTERY CELLS** with a unique pulsing method, brings each cell to full charge for guaranteed 100% battery performance!
3. **SAVES "DEAD" BATTERIES** other chargers can't from as low as 1/2 a Volt. Proven controlled desulphation program for off vehicle battery saving and safe low volt recovery program for on vehicle battery reconditioning
4. OptiMATE Chargers use a **UNIQUE MAINTENANCE PROGRAM** 24/7 for safe maintenance. Checks charge level hourly, delivers exact charge to keep battery at 100% and support 'always on' vehicle circuitry. Soft pulse prevents sulphation build-up.

BATTERY CHARGERS FOR 12V BATTERIES

including STD 'wet cell' with filler caps, 'dry charged' AGM, factory activated AGM and GEL lead-acid

OptiMATE 1 — 12V 0.6A

7200002721

OptiMATE 1 delivers precise micro processor controlled charging & long term maintenance. Maintain any 12 volt lead-acid battery, sealed AGM (MF) or GEL. Ideal for vehicles that are seldom or seasonally used, or in storage. The OptiMATE maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 2 Global, 4-step 12V 0.8A Battery Charger-Maintainer

7200002843

OptiMATE 2 is fully sealed. It senses the battery condition, recharges and then keeps the battery 100% ready. The OptiMATE maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 3 — 12V 0.8A

7200002722

The OptiMATE 3 is the most trusted charger in the business, saving, charging and maintaining batteries since 1995. The latest

version includes a 7-step program that recovers sulphated batteries and then tests after charging. The '365' maintenance program delivers only what the battery needs, never overcharges, never undercharges.



OptiMATE 5 Start/Stop, 6-step 12V 4A Battery Saving Charger- Tester-Maintainer

7200002924

OptiMATE 5 the perfect all-rounder with 4 Amps of charging power, saves low volt batteries from as low as 2V and will then charge and maintain the battery, all automatically. Perfect for months-long maintenance of any size 12V lead-acid battery from 15 up to 192Ah – deep cycle, automotive (also EFB batteries – start/stop systems), marine, cruiser motorcycle, UTV/side-by-side.



OptiMATE 6 — 12V 5A

7200002723

The world's most advanced fully automatic 12V battery charger!

OptiMATE 6 saves batteries other chargers can't, because it recognizes the difference between a discharged battery that needs charging and a dead flat sulphated battery that needs saving. Perfect for months-long maintenance of any size 12V lead-acid battery – deep cycle, automotive, marine, construction, agriculture.



10W OptiMATE Solar Charger

7200002925

OptiMATE Solar Charge & Monitor system, the smart 24-7 battery care solution powered by the sun.

The CHARGE-MONITOR controller included with the panel will CHARGE (day) – 6 STEP charging program includes save from 1V and OptiMATE maintenance. MONITOR (night) – 3 light monitor indicates battery charge status. Information used to continue charging the next day.



Permanent Battery Lead Cable

- 1/4" ringlet with moulded sleeve
- 15A auto fuse
- Premium SPT-2W cable rated down to -40°F



Part No.	Description.
7200002724	1/4" eyelet
7200002725	JAR (20 pieces) 1/4"
7200002726	3/8" eyelet
7200002727	JAR (20 pieces) 3/8"

12V Tester for Battery State of Charge, Cranking Performance and Vehicle Charging System

7200002928

The 3-in-1 pocket tester for service technicians; test and share with the customer battery health and vehicle charging performance.



- 1 - Indicates charged volt status. A poorly charged battery will deliver poor cranking.
- 2 - Cranking health test – memorizes lowest volts during cranking, indicates result for 20 seconds.
- 3 - Alternator / charging system voltage check. Too low charge voltage affects performance, too high affects life.

State of Charge Monitors

1/4" Rings 7200002926

5/16" Rings 7200002927

- Battery lead with rings, 15A fuse and SAE connector
- With integrated battery fuel gauge & charge system monitor
- Battery charge level—LED matching charge level blinks every 3 seconds (long term draw less than 0.2mA)
- Vehicle charge system—LEDs indicate if charge voltage exceeds minimum 13.5V or ideally 14V or more



7200002927



7200002926

6/12 Volt Battery Charger

77700-02136

- Slide switch for 6 volt or 12 volt battery
- Fully automatic, portable and lightweight
- Reverse polarity and short circuit protection



Rotating Electric Starters & Alternators

- Kubota Canada offers a wide selection of aftermarket starters and alternators as a second line option to the original OEM product
- All alternators and starters are NEW not remanufactured
- No core tracking or handling required
- All units are made in Canada
- Alternators validated to exceed 5,000 hours of service
- Starters validated to exceed 28,000 cycle starts
- Performance verified - 100% computerized testing during production
- See your local Kubota dealer for fitment applications



Part No.	OEM #	Fitment Cross-Reference	Product
7200002881	3C08174012	3C081-74010 3C081-74011	Alternator
7200002879	3C58174012	3C581-74010 3C581-74011 3C581-74012	Alternator
7200002886	1670564012	16705-64011 16705-64012	Alternator
7200002886	5H73042502	34070-75600 34070-75601 34070-75602	Alternator
7200002871	T1850-15682	T1850-15680 T1065-15682 T1065-15680 T1065-15600 T1850-15680	Alternator
7200002872	K7561-61913	K7561-61910	Alternator
7200002883	1525364013	15253-64010 15253-64011 15253-64012 15621-64010 15621-64011	Alternator
7200002883	1576364013	15763-64010 15763-64011 15763-64012	Alternator
7200002884	1541164012	15321-64012 15411-64010 15411-64011 15606-64010 15606-64011	Alternator
7200002885	1624164013	16241-64010 16241-64011 16241-64012	Alternator
7200002885	1623164013	16231-64010 16231-64011 16231-64012	Alternator
7200002873	T1060-15683	T1060-15680 T1060-15682	Alternator
7200002873	3A01174013	3A011-74012 T1060-15680 T1060-15681 T1060-15682	Alternator
7200002891	1523163015	15231-63012 15231-63013 15231-63014 15231-63015 15231-63016 15231-63017	Starter
7200002891	1585263014	15852-63010 15852-63011 15852-63012 15852-63013	Starter
7200002898	6C14059214	6C140-59210 6C140-59211 6C140-59212	Starter
7200002900	1G772-63012	1G772-63010	Starter
7200002900	1C01063013	1C010-63010 1C010-63011 1C010-63012	Starter
7200002899	1G06963010	1G069-63010 1G069-63011 1G069-63012	Starter
7200002899	1G02363010	1G023-63010 1G023-63011	Starter
7200002888	K757196800	K7571-61811 K7571-96800	Starter
7200002896	1546163010	15461-63013 15461-63014 15461-63015	Starter
7200002896	1734163010	17341-63010 17341-63013 17341-64015	Starter
7200002876	16285-63010	--	Starter
7200002876	15504-63010	15741-63010	Starter
7200002876	1926963010	19269-63010 19269-63012 19269-63013	Starter
7200002897	1562163012	15621-63012 15621-63013 15621-63014 15621-63015	Starter
7200002894	1731163010	17311-63010 17311-63014	Starter
7200002894	3407016800	34070-16081 34070-16083 34070-16800 34070-16801 34070-16802 34070-16803	Starter
7200002877	K7571-96810	--	Starter
7200002889	T115016800	T1150-16800 T1150-16801	Starter
7200002890	K771196800	K7711-61811 K7711-96800	Starter
7200002890	K771196810	K7711-61811 K7711-96810	Starter
7200002878	15425-63010	--	Starter
7200002887	1712363016	17123-63013 17123-63016	Starter

JUMPER CABLES & SPARK PLUGS

Construction Grade Jumper Cables

77700-09781

- 25 ft x 1 GA
- Includes a **FREE 28 LED Flashlight (77700-04774)**
- Heavy duty, tangle-free booster cables
- Extra flexible for easy use
- Resists oil, gas & acid
- Fits top & side mount batteries
- 900 AMP CCA



Kubota offers a wide selection of NGK spark plugs and glow plugs to fit most applications from small to large engines. See your local Kubota dealer for complete product availability



RTV Tow Strap

77700-08977

- 1-1/4" X 12' tow strap with loops and shackle
- 5,000 lbs. break strength
- Forged shackle
- Reinforced attachment loops




D-Rings

- Easy bolt on installation



Part No.	Description	Capacity
77700-08979 (4 pk)	Light Duty Surface Mount	1,200 lbs.
77700-08980	Medium Duty Surface Mount	5,000 lbs.
77700-08981	Weld On	15,000 lbs.
77700-08982	Weld On	20,000 lbs.



Cargo Net

77700-08978

- 34" x 34" — stretches to 60" x 60"
- Heavy duty plastic hooks prevent scratching
- Finger holes in hooks for safety and easy hook up
- Weather resistant
- Secures odd, bulky shapes
- Adjustable hooks
- Fits most UTV/RTV Bed Boxes

Cable Ties

- Superior performance
- Higher tensile strength
- Low insertion force
- Outdoor UV rating
- Made in the USA



Part No.	Length	Rating	Qty/bag	Color
77700-08983	7.6"	50 lb. / 222.5 Newton	100	Black
77700-08984	11.1"	50 lb. / 222.5 Newton	100	Black
77700-08985	14.6"	50 lb. / 222.5 Newton	100	Black
77700-08986	15"	120 lb. / 533.7 Newton	100	Black
77700-08987 (Mount Head)	8"	50 lb. / 222.5 Newton	100	Black
77700-08988	24"	175 lb. / 778.4 Newton	50	Black
77700-08989	7.6"	50 lb. / 222.5 Newton	100	Orange

Heavy Duty-Adjustable



Heavy Duty-Standard

Heavy Duty Tarp Straps

- 24" and 36" tarp straps feature patented molded stirrup holes for adjustable length
- Weather and crack resistant natural rubber
- Versatile strap with high elasticity holding power
- Outlasts standard straps by over 30%

Part No.	Length	Adjustable
77700-03653	9"	
77700-03654	15"	
77700-03655	21"	
77700-03656	24"	✓
77700-03657	31"	
77700-03658	36"	✓
77700-03659	41"	

Tarp Strap S-Hooks

77700-03660

- Four pack replacement hooks
- 5 mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish



CARGO STRAPS

ShockStrap® Load-Absorbing Ratchet Straps

- **Dependable** - a ShockStrap® provides superior shock absorption without coming loose—keeps tension on the strap
- **Safety Strap** - a backup strap in case the ShockStrap® is compromised
- **Durable** - made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- **Rust Resistant** - hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- **Soft Loop** - flexibility to always find a way to secure your load

Part No.	L x W	Break Strength	Work Load
77700-10680	9' x 2"	6,000 lbs.	2,000 lbs.
77700-10681	18' x 2"	6,000 lbs.	2,000 lbs.



Cargo Straps

- Thermoplastic rubber handles molded onto frames
- Weather resistant and corrosion resistant hardware finished with zinc and nickel plating or powder coating
- Cut and abrasion resistant webbing is woven from high tensile strength polyester that performs better than nylon



77700-03176



77700-03177

Heavy Duty Ratchet Tie Downs

Part No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03176	27' x 2"	JJ Hook	Bar Handle	10,000 lbs.	3,300 lbs.
77700-03177	27' x 2"	Flat Hook	Bar Handle	10,000 lbs.	3,300 lbs.



77700-03169



77700-03175




77700-03178

Standard Duty Ratchet Tie Downs

Part No.	L x W	Hook Style	Handle Style	Break Strength	Work Load
77700-03169	16' x 1"	S Hook	Small Bar Handle	1,500 lbs.	500 lbs.
77700-03175	16' x 1.5"	JJ Hook	Sure Grip Handle	5,000 lbs.	1,666 lbs.
77700-03178 (2 pk)	6' x 1"	S Hook	Small Bar Handle	1,800 lbs.	600 lbs.

Jacks For Every Need

- Our program offers most popular sizes and styles
- The lift capacities range from 1,000 to 5,000 pounds
- Kubota jacks are precision engineered with a smooth turning handle, dependable inner screw and a large foot plate
- Top wind and side wind jacks are available with lift heights from 10" to 15"
- Our tube mount jacks come with a lanyard lock pin and weld on tube mount
- Four mounting styles: Bolt on flange, Flange, A-Frame and Tube
- Complete line of replacement parts



Topwind Jacks

2,000 lb.

Part No.	Mounting Style	Lift Height	Retracted	Extended	Lift Capacity	Static Capacity	Weight
77700-07986	Flange (weld) mount	10 in.	11.25 in.	21.25 in.	2,000 lb.	3,000 lb.	15 lb.
77700-07978	Tubular mount	10 in.	11.25 in.	21.25 in.	2,000 lb.	3,000 lb.	14 lb.
77700-07983	Flange (weld) mount	15 in.	14.50 in.	30.50 in.	2,000 lb.	3,000 lb.	19 lb.
77700-07976	Tubular mount	15 in.	15.00 in.	30.50 in.	2,000 lb.	3,000 lb.	19 lb.

5,000 lb.

Part No.	Mounting Style	Lift Height	Retracted	Extended	Lift Capacity	Static Capacity	Weight
77700-07979	Tubular mount	15 in.	14.75 in.	30.5 in.	5,000 lb.	7,000 lb.	20 lb.
77700-07981	Tubular mount	10 in.			5,000 lb.	7,000 lb.	
77700-07987	A-frame	15 in.	10.25 in.	26 in.	5,000 lb.	7,000 lb.	14 lb.

Features and Benefits:

- Manufactured to the highest standards and in excess of aftermarket standards to ensure long lasting reliability
- Powder coat paint finish on outer tubers—four times more weather and corrosion resistant than other painted jacks
- Strong large diameter pin on most models for excellent side load strength for larger equipment and in field applications
- Designed and engineered for compatibility with implements manufactured worldwide
- Larger foot plate than many competitive brands providing more stability



Trailer Jack Display Rack Components

77700-08294



77700-07984



77700-07974



77700-07985



77700-07977



77700-07975



77700-07980

Sidewind Jacks

1,000 lb.

Part No.	Mounting Style	Lift Height	Retracted	Extended	Lift Capacity	Static Capacity	Weight
77700-07984	Bolt-on flange mount	10 in.	13 in.	23.5 in.	1,000 lb.	1,000 lb.	15 lb.

2,000 lb.

Part No.	Mounting Style	Lift Height	Retracted	Extended	Lift Capacity	Static Capacity	Weight
77700-07974	Tubular mount	10 in.	11.25 in.	21.50 in.	2,000 lb.	3,000 lb.	14 lb.
77700-07985	Flange (weld) mount	10 in.			2,000 lb.	3,000 lb.	

5,000 lb.

Part No.	Mounting Style	Lift Height	Retracted	Extended	Lift Capacity	Static Capacity	Weight
77700-07977	Tubular mount	10 in.	10.75 in.	20.75 in.	5,000 lb.	7,000 lb.	17 lb.
77700-07975	Tubular mount	15 in.	15.50 in.	31.50 in.	5,000 lb.	7,000 lb.	20 lb.
77700-07980	Direct-weld mount (jack must be welded directly to trailer frame)	15 in.	24.75 in.	52.5 in.	5,000 lb.	8,000 lb.	26 lb.

Replacement Parts

Part No.	Description	Fits Utility Jacks	Weight
77700-07982	Weld-on tube mount — 5/8 in.	Tube mount jacks with 5/8 in. tube	0.85 lb.
77700-07988	Dent tube — 5/8 in. tube	Tube mount jacks with 5/8 in. tube hole	0.50 lb.
77700-07989	Sidewind handle assembly	5,000 lb. sidewind jacks	1.70 lb.
77700-07990	Sidewind handle assembly	2,000 lb. sidewind jacks	1.35 lb.
77700-07991	Topwind handle assembly	All 2,000 lb. and 5,000 lb. topwind jacks	1.00 lb.
77700-07992	Removable footbase repair kit	All 2,000 lb. and 5,000 lb. A-frame jacks	1.95 lb.
77700-07993	Flange mount L-bracket	All flange mounts to 5,000 lb.	1.30 lb.
77700-07994	Circlip retaining ring	All flange mounts to 5,000 lb.	0.05 lb.



77700-07982



77700-07988



77700-07992



77700-07989



77700-07990



77700-07991




77700-07993



77700-07994

Forged Top Links

- Quality forged top links available in Category 0, 1 and 2
- All top links are yellow zinc plated
- The ends are clear zinc plated



Part No.	Cat.	A Pin Hole Size	B Thread Diameter	C Body Length	D Closed Length	Open Length	Color
77700-06378	0	5/8"	3/4" NC	7-5/8"	11"	16"	Plated
70000-16652	1	3/4"	1-1/8" NC	13-1/4"	17"	26"	Plated
70000-16576	1	3/4"	1-1/8" NC	16"	21"	28"	Plated
70000-73347	2	1"	1-1/8" NC	16"	21"	31"	Plated



70000-16576

Forged Weld-on Top Link Ends

- High-quality weld-on top link ball sockets in Category 1 and 2 sizes




Part No.	Description
77700-06417	Category 1 forged top link end, 3/4" pin hole
77700-06418	Category 2 forged top link end, 1" pin hole

LINKAGE

Top Link Reducer Bushings

- Used in the pin hole of a top link to allow a smaller category pin to fit
- Yellow zinc dichromate plated
- See page 50 for countertop display



Part No.	Cat.	Description	Outside Diameter	Inside Diameter	Length
70000-16633	0-1	Fits all Cat. 0 top link pins	3/4"	5/8"	1-5/8"
70000-16635	1-2	Fits all Cat. 1 top link pins; replaces Ford C7NN6993A	1"	3/4"	1-15/16"
70000-73597	1-2	Fits all Cat. 1 top link pins; short	1"	3/4"	1-5/8"
70000-16637	2-3	Fits all Cat. 2 top link pins	1-1/4"	1"	1-15/16"



Lift Arm Reducer Bushings

- Used in the pin hole of a lift arm to allow a smaller category pin to fit
- Yellow zinc dichromate plated
- See page 50 for countertop display

Part No.	Cat.	Description	Outside Diameter	Inside Diameter	Length
70000-73314	0-1	Fits all Cat. 0 lift arm pins	7/8"	5/8"	1-3/8"
70000-16632	1-2	Fits all Cat. 1 lift arm pins; Ford C7NN6992A	1-1/8"	7/8"	1-3/4"
70000-16634	1-2	Fits all Cat. 1 lift arm pins; replaces John Deere F2684	1-1/8"	7/8"	1-3/8"
70000-16636	2-3	Fits all Cat. 2 lift arm pins	1-7/16"	1-1/8"	1-3/4"
70000-16638	2-3	Fits all Cat. 2 lift arm pins; 15/32" lynch pin hole	1-7/16"	1-1/8"	2-1/2"

Top Link & Lift Arm Replacement Balls



- Top link and lift arm balls for Ford, John Deere, Oliver and other tractors
- Designed to replace original balls
- Yellow zinc dichromate plated



Part No.	Cat.	Description	Pin Hole Size	Length Thru Bore	Ball Diameter
70000-16587	1	John Deere & Oliver top link ball; replaces Deere F2680, Oliver 105968A	3/4"	1-3/4"	2"
70000-16588	2	John Deere & Oliver top link ball; replaces Deere F2681, Oliver 104585A	1"	1-3/4"	2"
70000-16589	1	Ford lift arm ball; replaces Ford DDN995233; fits Ford 5000	7/8"	1-3/8"	2-1/4"
70000-16590	2	Ford lift arm ball; replaces Ford C5NN557A; fits Ford 3000, 4000, 5000	1-1/8"	1-3/4"	2-1/4"
70000-16592	2	Oliver lift arm ball; replaces Oliver 104591A; fits all models with claw type lift arm	1-1/8"	1-3/4"	2"
70000-73949	2	Ford lift arm ball; narrow width; replaces C5NN557B	1-1/8"	1-3/8"	2-1/4"

Drawbars

- One piece 3-point hitch cross drawbars to fit Cat. 0 through Cat. 2 tractors



Drawbar



Drawbar Lock

Part No.	Cat.	Number of Holes	A Lift Arm Spacing	B Hole Diameter	C Pin Diameter	D Thickness	E Width	Color
70000-73951	0	7	20"	5/8"	5/8"	5/8"	2"	Black
70000-16651	0/1	7	20"	3/4"	7/8"	1"	2-1/2"	Black
70000-16594	1	11	26"	3/4"	7/8"	1"	2-1/2"	Black
70000-16597	2	11	26"	3/4"	1-1/8"	1-1/4"	3"	Black
77700-06419	Drawbar lock for category 1 tractors; prevents drawbar on 3-point hitch from rotating							

Stabilizer Arms, Bracket, Stabilizer Pin & Ratchet Jack

- Replacement stabilizer arms for stabilizer kits and a variety of tractors. Stabilizer arms increase the stability of the tractor lift arms. Stay straps for Cat. 1 tractors are used to maintain an implement at a set height.
- Stabilizer stub pins for Ford, Ferguson and other stabilizer kits
- Yellow zinc dichromate plated and black powder coat paint
- Ratchet jacks have multiple uses including the adjustment of implements and equipment. They replace hydraulic cylinders or old screw jacks in those applications where infrequent adjustment is needed.



Universal Stabilizer Arm



Adjustable Forged Stabilizer Arm



Stabilizer Pin



Ratchet Jack

Part No.	Description
70000-16604	Right or left universal stabilizer arm; replaces Massey-Ferguson ST96362358; 7/8" pin holes on 33-1/8" centers; painted black
70000-16605	Heavy duty adjustable forged stabilizer arm; fits all Ferguson models, Ford 2N, 8N, 9N, NAA, 600, Massey-Ferguson 35, 50, 175, 65, 135, 150, 165, 180; adjustable from 28-1/2" to 36"; 7/8" pin holes; 7/8" NF threads; yellow zinc plated
70000-16629	Stabilizer Pin: Pin Diameter 7/8", Usable Length 3/8", Overall Length 2-5/8", Thread Diameter 5/8" NF
70000-16575	Ratchet Jack: Heavy duty ratchet jack with 1-1/4" ACME threads and grease zerks; adjustable from 20" closed to 28" open; 1" clevis pins, clip pins and handle included; color black

Lift Arm Parts

Part No.	Description
70000-73317	Category 1 forged right or left hand straight lift arm repair end; 7/8" pin hole; 4" overall length
70000-73599	Category 2 forged right or left straight lift arm repair end; 1-1/8" pin hole; 5" overall length
70000-16574	Category 1 lift arm leveling assembly; 18-1/2" closed; 25" open length; 7/8" NF thread diameter; replaces Ford NCA577A



Top Link Pins

- Sizes and styles for Category 0 through 2 tractors
- Yellow zinc dichromate plated
- See page 50 for a linkage pin countertop display

Part No.	Cat.	Description	Pin Diameter	Usable Length	Overall Length
70000-16624	0	Top link pin	5/8"	3"	4-7/16"
70000-16621	1	Replaces Ford 9N-560, Ferguson 195647M1	3/4"	2-3/4"	4-1/2"
70000-16622	1	Long top link pin; replaces Ferguson 195589M1, AC339942	3/4"	3-7/8"	5-1/2"
70000-16626	1	Extra long top link pin; replaces Ford E381T9	3/4"	4-3/4"	6-3/8"
70000-73956	2	Replaces Ford C5NN560A, MF185873M91, AC2090149/239888	1"	3-9/16"	5-1/4"
70000-16623	2	Replaces Ford C5NN486A	1"	4-3/8"	6"

Draw Pins (Lift Arm Pins)

- Forged and adjustable Category 0 through 2 draw pins for a variety of applications
- All pins are yellow zinc dichromate plated
- See page 50 for a linkage pin countertop display




Part No.	Cat.	Description	Pin Diameter	Usable Length	Overall Length	Thread Diameter	Thread Length
70000-16614	0	Adjustable; universal	5/8"	Adjustable	3-7/8"	5/8" NF	2"
70000-16608	1	Adjustable; universal	7/8"	Adjustable	5"	7/8" NF	2-5/8"
70000-16610	1	Forged; universal	7/8"	1-3/4"	5-1/2"	7/8" NF	1-5/8"
70000-16613	1	Adjustable; universal; extra long	7/8"	Adjustable	6-1/4"	7/8" NF	3-1/2"
70000-73952	1	Forged; extra long	7/8"	2-1/4"	6-1/2"	7/8" NF	2-1/4"
70000-73425	1-2	Forged; to work Cat. 1 implements on Cat. 2 tractor	1-1/8"	1-13/16"	5-1/4"	7/8" NF	1-5/8"
70000-16609	1-2	Adjustable; to work cat. 1 implements on cat. 2 tractors	1-1/8"	Adjustable	5-1/4"	7/8" NF	2-7/16"
70000-16607	2	Adjustable; universal	1-1/8"	Adjustable	6-1/8"	1-1/8" NF	3-3/8"
70000-16612	2	Forged; universal	1-1/8"	1-3/4"	6-1/8"	1-1/8" NF	2-3/8"

Swivel Handle Forged Hitch Pins

- Forged head hitch pin with swivel handle and zinc plated “R” clip pin
- More than 25% stronger than Grade 2
- Yellow zinc dichromate plated
- See page 50 for countertop display

Part No.	Pin Diameter	Usable Length	Overall Length
77700-06397	3/8"	3-1/2"	5"
70000-73957	3/8"	4-1/4"	5-3/4"
77700-06398	1/2"	3-1/2"	5"
70000-73426	1/2"	4-1/4"	5-3/4"
70000-73428	5/8"	4-1/4"	5-3/4"
70000-16641	3/4"	4-1/4"	5-3/4"
77700-06393	1"	4-1/4"	5-3/4"

Part No.	Pin Diameter	Usable Length	Overall Length
70000-73427	1/2"	6-1/4"	7-3/4"
70000-16640	5/8"	6-1/4"	7-3/4"
70000-16642	3/4"	6-1/4"	7-3/4"
70000-73958	7/8"	4-1/4"	5-3/4"
70000-16643	7/8"	6-1/4"	7-3/4"
70000-16644	1"	6-1/4"	7-3/4"
70000-73429	1-1/8"	6-1/4"	7-3/4"
70000-73576	1-1/4"	6-1/4"	7-3/4"



Red Head Hitch Pins

- Designed for today's demanding applications, these one piece, grade 5 performance, forged hitch pins are made from high strength steel and heat treated
- Pin has black powder coating with a red vinyl coated head and handle. Zinc plated “R” clip pin included
- See page 50 for the display

Part No.	Pin Diameter	Usable Length	Overall Length
70000-73959	1/2"	3-5/8"	6-5/8"
70000-73960	5/8"	4"	7"
70050-94463	5/8"	5-3/4"	9"
70000-73754	3/4"	4"	7"
70000-73750	3/4"	6-1/2"	9-1/2"
70000-73752	7/8"	6-1/2"	9-1/2"
70000-73751	1"	7-1/2"	10"
70000-73755	1-1/8"	8-1/2"	11-1/2"
77700-06413	1-1/4"	8-1/2"	11-1/2"
7000-73757	1-1/2"	8-1/2"	11-1/2"

Bent Hitch Pins

- These pins have numerous farm, lawn and garden and industrial applications
- Complete with zinc plated “R” clip pin
- Yellow zinc dichromate plated

Part No.	Pin Diameter	Usable Length
77700-06394	1/2"	3"
77700-06395	5/8"	3"
77700-06396	3/4"	3-1/2"



"R" Clip Pins & "R" Clip Pin Assortment

- Available in the most popular sizes for farm and other applications
- Yellow zinc dichromate plated spring wire

Part No.	Wire Diameter	Overall Length	Fits Pin Diameter
70000-16645	1/16"	1-9/16"	3/8" to 1/2"
70000-16646	3/32"	1-5/8"	1/4" to 1/2"
70000-16647	1/8"	1-15/16"	1/2" to 3/4"
70000-16648	5/32"	2-15/16"	5/8" to 1"
70000-16649	3/16"	3-3/4"	7/8" to 1-1/4"
70000-16650	1/4"	4"	3/4" to 1"
77700-06415	Hitch pin clip assortment in plastic blister box; contains 3- 70000-16646, 4- 70000-16647, 4- 70000-16648 and 3- 70000-16649		



77700-06415



Lynch Pins

- Fasteners for numerous farm and other applications
- Yellow zinc dichromate plated except for the S07091300 which has a black powder coated finish

70000-73593

- See page 50 for the countertop assortment



70000-73577



70000-73578

Part No.	Description	Pin Diameter	Usable Length	Shank Length	Overall Length
70000-73961	Standard	3/16"	1"	1-3/8"	1-5/8"
70000-73577	Standard	7/16"	1-1/4"	1-3/4"	2"
70000-73578	S07090100 with chain and cotter pin	7/16"	1-1/4"	1-3/4"	2"
70000-73579	Standard	1/4"	1-1/4"	1-3/4"	2-1/8"
77700-06383	Standard	5/16"	1-1/4"	1-3/4"	2-1/8"
70000-73593	Heavy duty; fits Cat. 1, 2 and 3 pins	7/16"	1-1/2"	1-3/4"	2-1/8"
77700-06420	Long; fits Cat. 1, 2 & 3 pins	7/16"	1-3/4"	2"	2-5/16"

Lock Pins

- Numerous farm, lawn and garden, and industrial applications
- Round and square loop styles
- Yellow zinc dichromate plated
- See page 50 for countertop assortment



Part No.	Diameter	Usable Length	Wire Loop
70000-73866	1/4"	1-3/4"	Round
77700-06389	1/4"	2-1/2"	Round
70000-73867	5/16"	2-1/4"	Square
70000-73594	5/16"	2-1/4"	Round
70000-73869	3/8"	2-1/4"	Round
77700-06390	3/8"	2-1/4"	Square

Hitch Pin Assortments

Red Head

Part No.	Description
77700-06403	Grade 5 red head hitch pin assortment on wire rack with header sign; contains 6- 70050-94463, 8-70000-73754, 8- 70000-73750, 4- 70000-73752 and 3- 70000-73751
77700-06931	Red Head Hitch Pin Header Card ONLY



Swivel Handle

Part No.	Description
77700-06402	Forged swivel handle hitch pin assortment on wire rack with header sign; contains 6- 70000-16640, 6-70000-16641, 6- 70000-16642, 3- 70000-16643 and 3- 70000-16644
77700-06930	Swivel Handle Hitch Pin Header Card ONLY
77700-06846	Hitch Pin Wire Rack ONLY



Linkage Pin Assortment

Part No.	Description
77700-06401	Universal linkage pin assortment on wire rack with header sign; features the most popular Category 1 and 2 top link pins and draw pins; contains 4- 70000-16621, 4- 70000-16622, 3-70000-73956, 3- 70000-16623, 4- 70000-16608, 4-70000-16610, 3- 70000-16613, 3- 70000-73952, 3- 70000-16609, 3-70000-73425, 4- 70000-16607 and 3- 70000-16612
77700-06799	Linkage Pin Wire Rack ONLY
77700-06929	Linkage Pin Header Card ONLY



Bushing Assortment

Part No.	Description
77700-06400	Bushing assortment in counter top display carton with emphasis on Cat. 1-2; contains 10- 70000-16635, 28- 70000-16632, 6- 70000-16637, 6- 70000-16636 and 4- 70000-16638



Lynch Pin Assortment

Part No.	Description
77700-06399	Lynch pin assortment counter top display; contains 15- 77700-06383, 15- 70000-73961, 20- 70000-73593, 30- 70000-73577, 15- 70000-73578, 30- 70000-73579 and 10- 77700-06420



Lock Pin Assortment

Part No.	Description
77700-06404	Lock Pin Display; contains 8- 70000-73867, 28- 70000-73594, 8- 70000-73869, 8- 77700-06389, 8- 77700-06390



CLEVISES

Tough & Reliable For Farm, Ranch, Construction

Designed and engineered totally forged with heat treated pins. Total forging provides better grain structure without built-in stress and more consistency in strength, quality and performance. Clevises are available with black powder coat paint and clevis pins are yellow zinc dichromate.

- High strength and excellent corrosion protection for long life
- Farm, straight, twisted, utility, and general purpose clevises available for use in farm, ranch, construction and homeowner applications
- A variety of sizes are available to fit the needs of any job
- Tractor drawbar grab hook is formed from medium carbon steel, quenched and tempered
- Do not exceed working load limits
- Clevises and tractor drawbar grab hook are not for lifting



70000-73964

70000-73970



Straight Clevis

Part No.	Pin Diameter	Usable Length	Body Diameter	Clevis Opening	Working Load Limit
70000-73964	5/8"	3-3/4"	3/4"	1-5/16"	12,000 lbs
70000-73965	3/4"	3-1/4"	7/8"	1-5/16"	16,000 lbs
70000-73968	1"	5-5/16"	1"	2-1/8"	25,000 lbs

Twisted Clevis

Part No.	Pin Diameter	Usable Length	Body Diameter	Clevis Opening	Working Load Limit
70000-73970	3/4"	3"	7/8"	1-5/16"	16,000 lbs
70000-73971	3/4"	3-7/8"	7/8"	1-5/16"	16,000 lbs
70000-73972	7/8"	4-1/4"	15/16"	1-7/16"	20,000 lbs

Utility Clevis

Part No.	Pin Diameter	Usable Length	Body Diameter	Clevis Opening	Working Load Limit
70000-73976	5/16"	7/8"	1/4"	15/32"	1,000 lbs
70000-73977	3/8"	1"	5/16"	17/32"	1,500 lbs
70000-73978	7/16"	1-1/4"	3/8"	21/32"	2,000 lbs
70000-73979	1/2"	1-1/2"	7/16"	23/32"	3,000 lbs
70000-73980	5/8"	1-11/16"	1/2"	13/16"	6,000 lbs

General Purpose Clevis

Part No.	Pin Diameter	Usable Length	Body Diameter	Clevis Opening	Working Load Limit
70000-73974	3/4"	6-3/16"	3/4"	2-1/2"	10,000 lbs

Farm Clevis

Part No.	Pin Diameter	Usable Length	Body Diameter	Clevis Opening	Working Load Limit
70000-73981	7/16"	1-7/16"	3/8"	23/32"	3,000 lbs
70000-73983	5/8"	1-15/16"	1/2"	13/16"	6,500 lbs
70000-73984	7/8"	3"	3/4"	1-1/4"	13,000 lbs

Tractor Grab Hook

Straight Clevis

Part No.	Pin Diameter	Usable Length	Working Load Limit
70000-73975	For all tractor drawbars up to 1-5/8" thick	For use with 5/16" to 1/2" chain	9,000 lbs



Bottle Jacks

- Offers the easiest accessible pumping system
- Unique cross-type forged release valve assures positive control
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Part No.	Capacity	Base Size (L x W)	Min. Height	Max. Height
77700-03503	12 Ton	7" x 4-1/2"	9-1/2"	18-5/8"
77700-03504	20 Ton	7-3/4" x 5"	9-1/2"	18-5/8"



77700-03504

10 Ton Jack Stand

77700-03506

- Medium lift pin-style jack stand
- Base size: 16" x 16"
- Min. height: 18-5/8" / Max. height: 30-1/2"



Magic Lift Service Jacks

- Offers quicker lift for professional performance
- Heavy gauge, steel construction helps prevent distortion and twisting
- Patented built-in by-pass device protects hydraulic system from over pumping damage

Part No.	Capacity	Jack Size (L x W x H)	Min./Max Height	Saddle Diameter
77700-03505	3-1/2 Ton	30-7/8" x 14-7/8" x 7-1/4"	4" / 21-5/8"	4-3/4"
77700-03671	10 Ton	55-7/8" x 19-5/8" x 9-5/8"	6-7/8" / 27"	6-1/2"

77700-03671




SHOP PRODUCTS

Oil Change Kit

77700-09765

- Convenient kit includes everything you need to change oil or fluids in any engine powered vehicle, maintenance equipment or outdoor power sports machine
- Includes: one 6.5 qt. drain pan, one 1-pint oil funnel, one 15" x 18" absorbent pad, two pairs nitrile gloves, four shop towels



36" Heavy Duty Grabber Tool

77700-09780

- Ergonomic handle with safety lock
- Steel frame with ABS reinforced material
- Adjustable jaw width & strong holding ABS teeth
- Removable suction cups allow for use with smooth or hard surface items

Mountable Shop Towel Bucket

77700-02460

Refill 77700-03672

- All new & exclusive optional dispenser mount
- Easily carried for remote use and can also be placed into the wall mount for both local usage and storage
- 200 count, 10" x 13" each (180 sq. ft. total)
- Refill features water resistant packaging with peel and re-seal top and cardboard dispensing disk



Refill



Air Comb® Filter and Radiator Cleaners

12" 77700-06205

24" 77700-03394

36" 77700-03395

- Flush 90° multi-port air flow
- Delivers 5X the air volume
- 1/4" NPT air inlet
- Access hard-to-reach areas
- Fits between radiator and condenser
- Safe on all air filters



Five ports deliver efficient air flow



Blow Guns

24" / 609,5 mm 77700-03392

48" / 1 219 mm 77700-03393

- Zinc-alloy body with satin finish
- Aluminum nozzle with durable oxidized finish
- 1/4" NPT air inlet
- 90 PSI working pressure / 150 PSI maximum working pressure
- Convenient angle design for hard-to-reach areas

Heavy Duty LED Magnetic Worklight

77700-09772

- Dual color light - white & amber
- Three LED's of 3 Watts each, total of 500 Lumens
- Strong holding magnetic base
- 5 Volt USB charging cable
- IP 65 Rating



Camo Heavy Duty LED Magnetic Worklamp

77700-09773

- Five 3-watt LEDs and a high intensity flood beam
- Three operating modes — 100% intensity, 30% intensity & SOS flashing
- Magnetic base
- Long-life, rechargeable lithium battery allows worklamp to be operated continuously for 3-4 hours



LED Pocket Pen Flashlight

77700-06342

- Generates 90 lumens of light
- 1 watt LED bulb
- Convenient pocket clip and durable aluminum chassis
- Includes 2 AAA batteries
- Dimensions: 1/2" diameter, 5.5" length
- Shock proof and drop test resistant

28 LED Flashlight

77700-04774

- 4 LED spot lights
- 24 LED bright flood lights
- Magnetic back plus a fold out hanging hook
- Ultra bright and compact



Multi-Functional Rechargeable Flashlight

77700-10784

- Powerful 600 lumens
- Built-in USB charger
- Features magnets on clip and base
- Hands-free with 360° rotating hook and 180° swivel stand
- LED display shows percentage of battery remaining
- Water and dust proof rating IP44
- Use as flashlight, work light, charger, ideal for commercial and outdoor use



Flex-Light Flashlight/Worklight

77700-08995

- Strong holding magnet and foldable hook for hands free use
- Convenient pocket size
- 200 lumen ultra bright COB technology
- Adjustable to 180 degree angle
- Durable molded frame resists shock, water/weather resistant



HAND TOOLS

Pliers

- Zinc plated construction resists corrosion
- Drop forged and heat treated for strength and durability

Part No.	Description
77700-04741	6-1/2" Slip Joint Pliers
77700-04742	8" Slip Joint Pliers
77700-04743	10" Adjustable Pliers
77700-04744	POP Display Kit
77700-04745	8" Leather Plier Holder




Heat Shrink Tube Kit 77700-09003

- 171 pieces
- 2:1 shrink ratio
- UL approved polyefin heat shrink tubes
- Operating temp.: -67°F to 257°F
- Shrink temp.: starts at 158°F - ends at 230°F

- Maximum electrical rating: 600 volts



Dual-Bladed Mower Scraper 77700-08990

- Clean mower deck for a better cut and healthier lawn
- Longer deck life—helps prevent rust
- Flat or round blade
- Attaches to pole for lawn tractors

12" Adjustable Wrench 77700-09004



- Versatile, large jaw capacity up to 1-11/32" (34 mm)
- Durable chrome molybdenum alloy steel
- Steel jaws hold their grip
- Adjustable thumb wheel accommodates standard or metric sizes

Folding Knife 77700-02482



- Closed: 3.9" Open: 6.3"
- Stainless steel blade



25' Dual Rule Tape Measure 77700-02481

- Tough, impact resistant plastic case
- Easy-to-read tape markings in inches and centimeters
- Hands-free blade lock



Stainless Steel Scraper 77700-02478

- Rigid stainless steel go-thru blade with metal capped handle for strength and durability
- Comfortable TPR handle for maximum grip

Retractable Utility Knife

77700-02485

- Quick change blade mechanism
- Smooth retracting/locking blade advance
- Includes three replacement blades



12-in-1 Multi-Purpose Tool

77700-02475

- Closed: 4.1" Open: 6.6"
- Stainless steel blades
- Includes carrying case
- Tools: Philips screwdriver, pliers, wire cutter, knife serrated blade, 2 knives, can opener, 2 sided file, bottle opener and 2 slotted screwdrivers



14" x 6-1/4" Magnetic Tray

77700-03677

- Corrosion resistant stainless steel tray
- 3 powerful permanent magnets



Magnetic Parts Tray

77700-02476

- 4-1/4" corrosion resistant stainless steel dish
- Rubber covered magnetic base

Telescoping Magnetic Pickup Tool

77700-02479

- Telescopes from 6-1/2" to 33"
- Powerful 5 lb. magnet features shielded sides for targeted pickups



TRAILER TESTERS

4/5 Pin Harness Checker

77700-02457

- Great for tracking truck and trailer lighting functions
- Each LED light corresponds to the circuit being energized
- Plugs in-line with truck and trailer
- Easy to connect ground terminal for trailer lighting setup



7 Flat Pin Circuit Tester

77700-02458

- Quickly tests and troubleshoots truck and trailer electrical circuits and connectors
- Plugs into truck side trailer harness
- LED lights indicate each circuit is complete and the current is getting to the plug

Towing Kits


- Quickly test, clean and repair truck and trailer connectors
- Extends the life of the harnesses
- Promotes safety and limits road hazards
- Cleaning tools remove corrosion and re-size terminals to proper dimensions
- Includes cleaner/re-sizer, DeoxIT® Restore/Enhance and harness tester



77700-03673



77700-03881



77700-03675




77700-03674

Part No.	Pin Style	Application
77700-03673	6 Round	Light and medium duty truck, RV and trailer
77700-03674	7 Flat (Spade)	Medium duty truck, SUV and trailer
77700-03675	7 Round	Heavy duty tractor and trailer
77700-03881	4/5 Pin	Cars and trucks, agricultural, industrial, landscaping, contracting, sporting, and fleet connections

All iGRIP studs are manufactured in hot dipped steel to maximize their durability and with a zinc heat galvanization process which acts as a shield against corrosion. All studs are equipped with a tungsten carbide point to provide a continued and increased traction. This is possible thanks to unparalleled depth of the stud's anchoring in the ice. Easy and quick to install, especially because of the tool provided, the iGrip stud may be used without any difficulties more than one season on new or used tires. As well, the studs are easy to remove, as needed.

- Easy to install (tools and guide supplied) and to remove (no need for summer and winter tires)
- Enhanced off-road performance
- Fuel economy
- Excellent alternative to chains (less noisy and expensive)
- Excellent alternative to traditional "tire studs"
- Enhanced safety
- Better grip
- More stable driving
- Improved vehicle braking capacity
- Lasting durability
- Light
- Noiseless



Standard Screw Studs

Loader, Tractor, Fork Lift, Articulated Truck

Part No.	Description
ST-30200	1" 1/8-30MM STANDARD STUDS, BOX OF 200
ST-30100	1" 1/8-30MM STANDARD STUDS, BOX OF 100

Loader, Tractor, Fork Lift, Articulated Truck

Part No.	Description
ST-25200	1"-25MM STANDARD STUDS, BOX OF 200
ST-25100	1"-25MM STANDARD STUDS, BOX OF 100

Small Loader, Skid Steer, Tractor, Grader

Part No.	Description
ST-18200	3/4"-18MM STANDARD STUDS, BOX OF 200
ST-18150	3/4"-18MM STANDARD STUDS, BOX OF 150
ST-18100	3/4"-18MM STANDARD STUDS, BOX OF 100

Small Loader, Tractor, Grader, Motorcycle, ATV, Motocross

Part No.	Description
ST-15200	5/8"-15MM STANDARD STUDS, BOX OF 200
ST-15150	5/8"-15MM STANDARD STUDS, BOX OF 150
ST-15100	5/8"-15MM STANDARD STUDS, BOX OF 100

Snowmobile track 1-1/4" & +

Part No.	Description
ST-25200R	1"-25MM STANDARD STUDS, BOX OF 200

Snowmobile track 1-1/4" & +, ATV, Motocross

Part No.	Description
ST-24200R	15/16"-24MM STANDARD STUDS, BOX OF 200

Snowmobile track 1-1/4" & -, ATV, Motocross

Part No.	Description
ST-20200R	3/4"-20MM STANDARD STUDS, BOX OF 200

Shoes & Boots Studs

Work Boots

Part No.	Description
ST-11200	7/16"-11MM STANDARD STUDS, BOX OF 200
ST-11150	7/16"-11MM STANDARD STUDS, BOX OF 150
ST-11100	7/16"-11MM STANDARD STUDS, BOX OF 100
ST-1124	7/16"-11MM STANDARD STUDS, BOX OF 24

Work Boots, Shoes, Running Shoes & Bicycles

Part No.	Description
ST-08200	5/16"-08MM STANDARD STUDS, BOX OF 200
ST-08150	5/16"-08MM STANDARD STUDS, BOX OF 150
ST-08100	5/16"-08MM STANDARD STUDS, BOX OF 100
ST-0824	5/16"-08MM STANDARD STUDS, BOX OF 24

Heavy Duty Shoulder Studs

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

Part No.	Description
SS-50200	2"-50MM SHOULDER STUDS, BOX OF 200
SS-50100	2"-50MM SHOULDER STUDS, BOX OF 100

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

Part No.	Description
SS-40200	1"9/16-40MM SHOULDER STUDS, BOX OF 200
SS-40100	1"9/16-40MM SHOULDER STUDS, BOX OF 100

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

Part No.	Description
SS-30200	1"1/8-30MM SHOULDER STUDS, BOX OF 200
SS-30100	1"1/8-30MM SHOULDER STUDS, BOX OF 100

Work & Fishing Boots

Part No.	Description
SS-11200	7/16"-11MM SHOULDER STUDS, BOX OF 200
SS-11150	7/16"-11MM SHOULDER STUDS, BOX OF 150
SS-11100	7/16"-11MM SHOULDER STUDS, BOX OF 100
SS-1124	7/16"-11MM SHOULDER STUDS, BOX OF 24

Work Boots, Shoes, Running Shoes & Bicycles

Part No.	Description
SS-08200	5/16"-08MM SHOULDER STUDS, BOX OF 200
SS-08150	5/16"-08MM SHOULDER STUDS, BOX OF 150
SS-08100	5/16"-08MM SHOULDER STUDS, BOX OF 100
SS-0824	5/16"-08MM SHOULDER STUDS, BOX OF 24

Loader, Tractor, Fork Lift, Articulated Truck, Forestry, Mining

Part No.	Description
SS-25200	1"-25MM SHOULDER STUDS, BOX OF 200
SS-25100	1"-25MM SHOULDER STUDS, BOX OF 100

Tractor, Grader, Forestry and Military Vehicles, Loader, Skid Steer

Part No.	Description
SS-18200	3/4"-18MM SHOULDER STUDS, BOX OF 200
SS-18150	3/4"-18MM SHOULDER STUDS, BOX OF 150
SS-18100	3/4"-18MM SHOULDER STUDS, BOX OF 100

Tractor, Grader, Forestry and Military Vehicles, Compact Loader

Part No.	Description
SS-15200	5/8"-15MM SHOULDER STUDS, BOX OF 200
SS-15150	5/8"-15MM SHOULDER STUDS, BOX OF 150
SS-15100	5/8"-15MM SHOULDER STUDS, BOX OF 100

Heavy Duty Tire Pressure Gauge

77700-08991

- Steel case with polished brass bezel and 2" dial
- Fully geared brass movement
- 0-60 PSI
- 10" extension hose for tough to reach valve stems



Dial Tire Gauges

- Steel case with polished brass bezel and 2" dial
- Full geared, precision movement with bronze bourdon tube
- Not affected by changes in temperature, humidity or altitude




Part No.	PSI Range
77700-03676	0-30
77700-02469	0-100


Pencil Tire Gauge

77700-02468

- For use with air service only
- Reads from 5 to 45 PSI
- Easy-to-read, four sided nylon scale is in 2 PSI increments



77700-08593 (Metric)



77700-08594 (SAE)

Bolt Gauges

Metric 77700-08593

SAE 77700-08594

- Convenient gauges to accurately measure the diameter, length and thread pitch of your fasteners



SAFETY PRODUCTS

Uncorded Disposable Foam Ear Plugs

77700-10716

- Noise Reduction Rating (NRR) 33 decibels
- Extremely soft for comfortable fit
- Low pressure, bell shape
- PVC free plugs
- ANSI specs 53.19-1974
- 50 pairs in convenient resealable bag



Wheel Spinner

77700-10674

- Heavy duty spinner with ergonomic grip
- Vinyl coating for lasting durability
- Easily turn/steer your tractor, mower, RTV and other equipment
- Attaches to steering wheels up to 1-1/4" thick
- 12 piece display box



Deluxe Wheel Spinner

77700-01540

- For effortless turning of tractors and other off-road equipment
- Clamp securely grips all wheels up to 1-1/4" thick
- Comfortable ergonomic handle with smooth spinning design
- Split base design for easy mounting



First Aid Kit

77700-02459

- 57 piece kit
- Rust-proof, durable polypropylene case
- Fits in vehicle glove box or can easily be wall-mounted
- Inner gasket seals out moisture so contents stay dry and ready to use

Slow Moving Vehicle Signs

- 14"H x 16"W, made with high-intensity, micro-prismatic reflective and fluorescent materials
- ASAE (S276.6) approved and State of Illinois compliant
- Complete, easy to install hardware kit available for mounting (77700-03391—purchase separately)



Part No.	Material	Thickness
77700-03388	Aluminum	.04"
77700-03389	Plastic	.80"
77700-03390	Adhesive	-
77700-03391	Mounting Kit	-

Hard Hats

- Unique, smooth crown protects from the danger of falling objects
- Convenient rear-located mechanism used to adjust the head size for comfort
- 360° removable, perforated and padded sweatband that keeps you cool
- SEI certified to meet ANSI Z89.1-2003 Type 1, Class E, G or C



77700-05367C



77700-05374C

Part No.	Description
77700-05367C	Orange with CE imprint
77700-05374C	Orange with Oval K logo

Heavy Duty Mechanic's Gloves

- Reinforced palm patches for extra protection
- Silicone anti-slip fingertips for extra grip
- TPR back of finger protection against impact & pinches
- Adjustable wrist tab keeps out dirt



Part No.	Size
77700-07910	Medium
77700-07911	Large
77700-07912	X-Large

Touchscreen Mechanic's Gloves

- Touchscreen fingertips
- Durable palm is protective and long lasting
- Padded palm reduces fatigue
- Adjustable wrist tab keeps out dirt



Part No.	Size
77700-07907	Medium
77700-07908	Large
77700-07909	X-Large

Leather/Canvas Gloves

77700-02466

- Suede cowhide leather fingertips, palm and knuckle strap
- Elastic back and rubberized safety cuff
- One size fits all



Winter Lined & Waterproof Touchscreen Gloves



- Waterproof & breathable lining keeps out moisture
- Touchscreen fingertips
- 3M Thinsulate lining keeps hands warm
- Durable palm is protective and long lasting

Part No.	Size
77700-07913	Large
77700-07914	X-Large

Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH5.5 technology made to match healthy skins natural pH5.5 levels to ensure the most comfortable fit yet
 - Unique formulation reduces excess perspiration
 - Quadruple washed—no excess chemicals lingering on glove
- Super strength and stretch—no more tearing
- Fully textured grip



Part No.	Description
77700-04747	Orange Lightning - Medium
77700-04771	Orange Lightning - Large
77700-04772	Orange Lightning - X-Large
77700-04773	Orange Lightning - XX-Large
77700-04746	Black Lightning - Medium
77700-04497	Black Lightning - Large
77700-04498	Black Lightning - X-Large
77700-04499	Black Lightning - XX-Large

Suede Lined Work Gloves

- Super comfortable lined suede cowhide leather gloves
- Plush lining keeps your hands warm on cold days
- Self-hemmed with shirred elastic back for fit and great durability



Part No.	Size
77700-02464	Large
77700-02465	X-Large

Water Repellent Leather Work Gloves

- Improved gloves now resist water and moisture
- Comfortable, rugged protection
- Soft-tanned cowhide grain leather
- Tailored keystone thumb for greater flexibility
- Shirred elastic back stitching for best fit



Part No.	Size
77700-02461	Women's Medium
77700-02462	Men's Large
77700-02463	Men's X-Large



Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- Slip-on style cuff for easy on, easy off
- Comfortable shirred elastic on front and back
- Machine wash, air dry



77700-03646

Part No.	Size
77700-03154	Medium
77700-03155	Large
77700-03156	X-Large
77700-03646	Women's Medium (Pink)





40 Gallon Trailer Sprayer

77700-08962

- Heavy duty frame
- 5 nozzle boom
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Heavy duty wand clips
- Adjustable relief with gauge
- 3 piece folding adjustable boom
- Wide tires



25 Gallon RTV Sprayer

77700-08963

- 3 nozzle boomless spray pattern allows for 140" of coverage
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge



40 Gallon All Makes Hitch Mount Sprayer

77700-08964

- Unique 2" receiver mount boom provides 300° of adjustability
- 7 nozzle breakaway boom coverage up to 140"
- Nozzles include check valve
- Chemically-resistant polyethylene tank
- 2.2 GPM pump
- 60 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge

Sprayer Boom

77700-09601

- Sprayer boom for Kubota 40 gallon sprayer
- Compatible with many other sprayers!



Portable Sprayers

- Handle action piston pump
- Large mouth for easy filling
- Single conical spray tip
- Pressure relief valve
- 8L (77700-03398) features a 23" trigger lance with an ergonomic handle and easy-to-use spot spray wand



Part No.	Capacity	Max. PSI
77700-03397	0.53 Gallons	10
77700-03398	2.1 Gallons	43

Backpack Sprayer

77700-03399

- 4.25 gallons (16 liters)
- Develops 15-90 PSI
- Quick fitting harness and padded straps
- 4 spray tips
- Wide-mouth lid
- Lever action piston pump
- Available spare parts kit
- Quality seals and built-in screens
- Lance clip and carry handle
- Ideal for insecticides, fertilizers, herbicides and disinfectants



60 Gallon 3-Point Sprayer

77700-08965

- 6 roller pumps with torque arm and quick coupler
- 7 nozzle breakaway boom
- Nozzles include check valve and quick caps
 - Heavy duty frame with skid plates
 - Chemically-resistant polyethylene tank
- 100 PSI gauge
- Deluxe 18" sprayer wand
- Adjustable relief with gauge
- Forward mounted on/off valve with protected gauge and plumbing

Spot Sprayer

77700-03500

- 15 gallons (57 liters)
- 12 volt pump spot sprayer
- Polyethylene tank with mold-in drain with cap
- Trigger gun with adjustable nozzle
- 15 feet of 3/8" hose
- 5" screw-on lid with tether
- Adjusts from fine mist to solid stream
- Ideal for insecticides, fertilizers, herbicides and disinfectants
- Applications include ranch/farm, weed and insect control, livestock and trees/shrubs



Ultimate Rack

77700-08997 Please order this item under the DDS order tab

- The BIGTOOLRACK® tractor attachment adds valuable cargo space
- Ideal mobile storage system...no more running back to the tool shed
- Haul your tools and supplies safely and secure to your worksite
- Easy and convenient 3 point hitch attachment, and trailer tow feature plus quick-hitch compatible
- Heavy duty wheels for easy rolling and storing
- Heavy duty steel construction with durable powder coat finish
- Maximum cargo capacity of 600 lbs.
- Active tailgate
- Will give your tractor ballast
- Rack Dimensions: L: 54" x W: 35.5" x H: 45.75"
- This beast hauls it all!

✓ **Landscaping**

✓ **Fencing**

✓ **Farm/Ranch**

✓ **Firewood**

✓ **Trash/Cleanup**

“ The **BEST** attachment I may have purchased for my Kubota L3901 tractor! **”**

Lonnie in MO

“ The best attachment I have gotten for my Kubota BX23s is the BIGTOOLRACK, it's like a portable workshop. You can load it up, take it to where you are working and then leave it there - or detach it and leave it in the barn (moving it around on the wheels, no problem). The back tailgate folds down giving you a workbench. Being able to lower it down for loading and unloading and then raising it for transport is huge. **”**

Jeff in MD

“ There's no doubt that this is one of the most valuable pieces of tractor equipment I have. I recommend it every chance I get... **”**

Todd in VA



Chainsaw Holder

77700-10738

- Secures your chainsaw out of the way to allow full use of your cargo area
- Includes holder and all mounting hardware



Grass Trimmer Kit Classic

77700-10739

- Secure your grass trimmer, pole saw or any other long handle tool with this system
- Includes two holders, four rubber straps and all mounting hardware

Universal Tool Holder

77700-10740

- Secure your large handle hand tools with this rubber strap tool holder
- Includes one bracket, one rubber strap and all mounting hardware



Four Hole Tool Holder

77700-10741

- Easily slide four long-handled tools in this holder
- The BIGTOOLRACK has predetermined holes in the rack to allow you to add multiple holders
- Includes holder and all mounting hardware



RopsRackPack®

- Attaches quickly and easily to your tractor or zero turn mower — no drilling, no hardware
- Safely and securely transport landscape tools, power equipment, supplies and more to your worksite
- Made from heavy duty, ballistic nylon with an industrial strength hook/loop closure
- Attaches to your existing rollbar
- Includes: 1 - Anchor Sleeve, 2 - Side Sleeves, 2 - Straps, 2 - 24" Twist Ties

Part No.	Description
77700-10695	Fits all Kubota Tractors, ZD Series Mowers, Z100 Series Mowers
77700-10696	Fits all Kubota Z400 Series and Z700 Series Zero Turn Mowers



Work Gear Bag

77700-10694

- Made from heavy duty, ballistic nylon
- Easily and quickly attaches to your Kubota RTV or Kubota stand-on mower
- Includes strap kit to attach to your RopsRackPack® and buckles to attach to your Ultimate Rack
- GearBag is 18" long x 4" wide x 11" tall



18 oz. Quick Fill Portable Fuel Bottle

77700-10697

- Convenient 18 oz. bottle for quick refill of gas powered lawn tools & equipment
- Spill-proof—no caps to unscrew
- Self-venting / auto shut-off



GearTie® Loopable MEGA Reusable Twist Tie - Black 32"

77700-10782

- Allows you to tie and secure a long handle tool and countless other items



10" S-Biner® Dual Carabiner

77700-10783

- Allows you to hang your trimmer, leaf blower and other large items



41" 8 Drawer Top Chest

77700-10691

41" 11 Drawer Roller Cabinet

77700-10692

41" Top Chest & Roller Cabinet Combo

77700-10693

- Heavy duty 14 gauge steel frame and 18 gauge steel sides with four 6" x 2" mag wheel casters (two lockable swivels and two rigid)
- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides

Part No.	Width	Depth	Height
77700-10691	41"	25"	21-3/8"
77700-10692	41-1/2"	25"	40-1/2"



CUSTOMIZE YOUR TOOLBOX!

41" Top Chest & Roller Cabinet Combo with Magnetic Decals

- Comes complete with Top Chest, Roller Cabinet and Magnetic Decal Set!

Part No.	Decal Design
77700-10742	RTV
77700-10743	Tractor
77700-10744	SVL / Construction



41" Cabinet Magnetic Decal Kits


- Heavy duty and strong holding flexible magnetic strips
- Superb image quality with UV protection
- Performs well in all weather, and in temperatures from -15° F to 160° F



77700-10688



77700-10689



77700-10690

Part No.	Decal Design
77700-10688	Tractor
77700-10689	RTV
77700-10690	SVL / Construction

CARGO & TOOL STORAGE

Deluxe RTV Cargo Box

77700-08760

- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved
- Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850



K7811-99560, must be ordered separately



36" Professional 5 Drawer Extra Capacity Service Box

77700-06140

- Outer dimensions: 36"W x 25.5"D x 29"H
- 16/18 gauge steel construction with specially engineered frame and handles that make it easy to slide and move service box
- 5 big reinforced drawers with quiet ride foam liners:
2 deep (30.84"W x 20"D x 4.5"H) and 3 standard size drawers (30.84"W x 20"D x 2.125"H)



30" RTV Road Box

77700-03643

- 30.75"W x 20"D x 20.5"H—fits all Kubota RTV's
- Heavy duty 18 gauge steel construction with welded seams
- Power tool rack with built-in 3 outlet/2 USB power strip
- Organizes all of your essential tools: 35 combination wrench pegs, 48 screwdriver/nut driver slots/holder, 186 - 1/4", 3/8" & 1/2" deep and standard socket pegs (SAE & metric) with room for some impact sockets
- Under socket panel: shelf for smaller tools, power tool rack with built-in power strip and 2 USB ports, additional storage space for small tools
- Lockable lid secures tools in place when closed



Tools not included



20" Traditional Steel Hand Box with Tray

77700-03642

- 20"W x 8"D x 9"H
- Durable metal construction with powder coat finish and ergonomic handle

Heavy Duty Parts Bins

- Organize parts, inventories, shorten repair times and minimize parts handling
- Heavy-duty bins securely stack atop each other, sit on shelving and hang from racks, panels, rails and carts
- Sturdy, one-piece construction is water, rust and corrosion-proof
- Molded of high-impact polypropylene, these bins are unaffected by weak acids and alkalis
- Guaranteed not to crack or break under normal load conditions as stated in the 1-year limited warranty



Pins not included

Part No.	Description	L x W x H	Pieces	Color
77700-10785	Storage Bin	14.75" x 5.5" x 5"	12	Black
77700-10786	Storage Bin	14.75" x 5.5" x 5"	12	Clear
77700-10787	Storage Bin	14.75" x 8.25" x 7"	12	Black
77700-10788	Storage Bin	14.75" x 16.5" x 7"	6	Black
77700-10789	Bin Divider	5.5" x 5"	6	Black
77700-10790	Bin Divider	8.25" & 16.5" x 7"	6	Black



PRESSURE WASHERS



Selecting the right machine that fits you and the jobs you need to get done.

The Kubota pressure washer product line offers a high level of productivity with rugged designs that are engineered to meet the needs of the most demanding users.

Built to withstand the rigors of the toughest jobs—careful consideration has been given in selecting each component. Every product design is crafted and calibrated to deliver the durability and reliability you expect.

- Residential:** 1-2 hours weekly duty—10 to 20 weeks per year. Ideal for lighter duty work, for example, residential cleaning tasks, automotive, all-terrain vehicle, lawn mowers, recreational vehicle, etc.
- Commercial:** 5-15 hours weekly duty—50 weeks per year. Designed for light to medium duty work on the farm, in a mechanical workshop, or small business.
- Industrial:** 15-20 hours weekly duty—50 weeks per year. Designed for heavy duty work, like cleaning fleet of trucks, farm buildings, heavy equipment, industry, car wash, cleaning contractor.
- Target Markets:** Each icon identifies the target use for each model of pressure washer.



Residential



Automotive



Truck



Agricultural



Weed Killer



Sanitary



Industry



**Heavy
Equipment**



Rental



Contractor

Please order all pressure washers items under the DDS order tab

Durable & Maneuverable Power

The roll cage design protects all the critical components and ensures the machine is easy to handle and store. A durable powder coated frame with fold down handle make it easy to strap into a pick up or utility vehicle.


S.S.C.

Automatic Start
& Stop Control
Temporized

JET2536E Electric

77700-06379



- This quiet powerful electric cold water pressure washer is specifically designed for commercial industrial application.
- Featuring automatic start/stop control system (SSC) combined with low rpm industrial motor that extends the longevity of the pump and components

Electric motor.....	5.75 HP	GPM	3.6
Volts	240	Impact Force	9.5 lb
Phase	1	Hose	50 feet
Amperes	24	Nozzle Orifice.....	0.45
rpm.....	1750	Electrical cord	23 feet
Comet pump...RW, crankshaft		Weight	200 lb
PSI.....	2500		

JET3500

77700-05676



- A reliable commercial gas powered machine perfect for cleaning construction/agriculture equipment, buildings, vehicles and operations

Engine	EX 40	Oil Alert Protection.....	Yes
Comet pump.....	Crankshaft	Thermal Protection.....	Yes
RPM	3450	Hose	50 feet
PSI.....	3500	Nozzle Orifice.....	0.40
GPM	4	Weight	154 lb
Impact Force	12.4 lb		



JET Series Standard Equipment

- Durable roll cage frame with 10" tires
- Triplex direct drive pump with 3 ceramic plungers
- Hose with quick disconnect couplers
- Soap injection with regulator
- Spray gun with 36" insulated wand
- 4 quick disconnect spray tips, rinse: 15, 25 & 40°, soap: 65°



Handle Safety Lock



Folding Handle

GEYSER SERIES

Geyser G2132G

72000-02750



- Cleans up to 50% faster than cold water units
- Rear swivel 10" wheels, featuring locking brake hub
- Never flat rubber tires with ball bearing wheels provide a low roll resistance, making it easy to maneuver the machine
- Centralized lifting hook ensures the unit is perfectly balanced when loading
- The engine is calibrated at 3,450 RPM to run in harmony with the direct drive ceramic plunger crankshaft pump



Engine	EX21 Subaru
Electric Start	N/A
Charging System	200 W
12 V Battery	Yes
Comet Pump	LWD Crankshaft
PSI	2100
GPM	3.2
Impact Force	7.7 lb
Thermal Protector	Yes
Btu/h	320,000
Hose	50 ft
Nozzle Orifice	04.5
Weight	372 lbs

Geyser GD3535G

77700-06100



- Functional industrial frame design mounted on low roll resistance 10" ball bearing wheels with never flat tires
- Rear swivel 10" tires with brake—easy to maneuver
- Centralized lifting hook
- Comet ceramic plunger direct drive crankshaft pump, calibrated with motor at 3,450 RPM
- Soap injection in pressure washer mode
- 100-mesh filter at pump inlet
- 140°F pump thermal protector

Pressure Washer Mode Weed Killer Mode

Engine	EX40 Subaru	EX40 Subaru
Electric Start	Yes	Yes
Charging System	200 W	200 W
12 V Battery	Yes	Yes
Thermostat	Yes	Yes
Comet Pump	ZWD Crankshaft	ZWD Crankshaft
PSI	3,500	350
GPM	3.5	3.0
Impact Force	10.9 lb	-
Thermal Protector	Yes	Yes
Btu/h	350,000	350,000
Hose	50 ft	50 ft
Nozzle Orifice	03.5	30

- Pressure gauge for pressure washer mode
- Pressure gauge for weed killer mode with pressure regulator
- Thermometer at heating coil outlet
- Spray gun and 44" totally insulated wand
- Four quick disconnect spray tips for pressure washing: rinse at 15°, 25° and 40°, soap at 65°
- One quick disconnect 2" standard tool for weed killing

Standard Components Include:

- Manual Hose Reel (77700-06102)
- Storage Compartment (77700-06103)

Geyser Series Optional Equipment

Storage Compartment

77700-06103

- Storage compartment for nozzles and personal protection equipment



Hose Reel

77700-06102

- Durable industrial hose reel can accommodate up to 200'



Two durable machines built to meet your project needs.

CAGE Extra-Duty

77700-03318



- The extra-duty series is built to work on tough commercial jobs. Featuring durable precision ceramic triplex pump featuring:
 - Anodized aluminum die cast crankcase direct drive pump with three ceramic plungers highly resistant to corrosion and abrasion
 - Forged brass head—highly mechanical resistant to corrosion
 - Internal kinematics—high quality oversized bearings that ensure long durability
- Exclusive—self-lubricating double packing system design provides exceptional packing life
- Adjustable unloader—detergent injector



Wheel kit shown is optional

Engine	EX 17	Oil Alert Protection	Yes
Pump	Direct Drive Triplex	Thermal Protection.....	Yes
RPM	3,450	Hose	25 feet
PSI	2,500	Nozzle Orifice.....	0.30
GPM	2.7	Weight	70 lb
Impact Force	7.1 lb		



Engine	SP 170	Oil Alert Protection	N/A
Pump	Axial	Thermal Protection.....	N/A
RPM	3,450	Hose	25 feet
PSI	2,500	Nozzle Orifice.....	0.30
GPM	2.5	Weight	67 lb
Impact Force	7.1 lb		

CAGE Tough Duty

77700-05675



- Ideal for residential to light duty commercial jobs, featuring performance axial pump that includes:
 - Built-in uniflow unloader and chemical injector
 - Built-in Easy Start
 - Stainless steel plungers and check valves
 - Forged brass manifold
 - Patented ball bearing design

Optional Equipment

Portable Hose Reel

77700-05674

- Manual hose reel mounted on a ball-bearing mechanism
- Can be hooked directly on the CAGE frame
- Ergonomic carrying handle



Wheel/Handle Kit

77700-05767

- Simple and durable design
- Adapts quickly to existing frame—no need to drill holes
- Remains stackable
- Collapsible swivel handle folds in behind frame



THUNDER SERIES

Thunder MH2536EA240

72000-02751



- Powder coated frame featuring centralized lifting point
- S.S.C. - Automatic start/stop control system - temporized function protects the motor and pump
- Control panel with dual safety fuses (protects electrical components, one for the burner/one for the SSC system)
- Adjustable thermostat control (up to 302°F)
- Spray gun and 36" insulated wand
- 6,000 psi heavy duty non-marking grey hose.
- 4 quick disconnect spray tips, rinse: 15, 25 & 40°, soap: 65°


Electric Motor.....	5.75 hp	GPM.....	3.6
Volts.....	240	Impact Force.....	9.5 lb
Phase.....	1	Btu/h.....	285,000
Amperes.....	24	Hose.....	50 ft
RPM.....	1750	Nozzle Orifice.....	.04.5
Pump.....	RW Crankshaft	Electrical cord.....	.23
PSI.....	2500	Weight.....	430 lb



S.S.C.

Automatic Start
& Stop Control
Temporized

Quiet powerful electric motor specifically design for industrial application.



Thunder MH3535G

77700-06104



- Old school machine that gets the job done
- Frame with protection cage on 4 x 10" tires
- Spray gun and 36" insulated wand
- 6,000 PSI heavy duty grey non-marking hose
- Four quick disconnect spray tips, rinse: 15°, 25° and 40°, soap: 65°

Water Heater Features

- Oil-fired burner
- 37 litre polyethylene oil tank with level indicator
- Adjustable temperature by thermostat up to 302°F
- Battery included

Engine.....	EX40	PSI.....	3,500
Electric Start.....	Yes	GPM.....	3.5
RPM.....	3,450	Impact Force.....	10.9 lb
Oil Alert Protection.....	Yes	Thermal Protector.....	Yes
Charging System.....	200 W	Btu/h.....	320,000
12 V Battery.....	Yes	Hose.....	50 ft
Thermostat Control.....	Yes	Nozzle Orifice.....	.03.5
Pump.....	Direct Drive Triplex	Weight.....	426 lb



Optional Manual Hose Reel

72000-02763

- Design to fit on Thunder series models. Capacity up to 200' of 3/8" hose
- Includes :** manual hose reel, quick couplers, reel bracket, nuts, pump protective shield (installed by the dealer)

Foamer with Integrated Tank

77700-05696

- 2,500–3,000 PSI FKI foamer kit (ideal for use with CAGE & G2535G models only)
- Connects to gun outlet



Chemical Soap Injection Bottle

72000-02762

- Capacity : 4 liters
- Includes mounting bracket and feed tube



Rotary Nozzle with Quick Connect

- Heavy duty brass body and plastic casing
- Increases productivity and cleaning efficiency
- Nozzle and ceramic seat for high impact resistance
- Rated from 1,150–3,650 PSI



Part No.	Orifice	Application	Model
77700-05689	03.5	3,650 psi cold water	CAGE system
77700-05690	04.0	3,650 psi cold water	JET3500
72000-02757	04.5	3,650 psi cold water	JET2536EA
72000-02758	04.0	3,650 psi hot water w/in line filter	GD3535G - MH3535G
72000-02759	04.5	3,650 psi hot water w/in line filter	G2132G - MH2536EA240

Part No.	Length	Max. PSI	Color
77700-05677	25'	3,000	Black
77700-05678	35'	3,000	Black
77700-05679	50'	3,000	Blue
77700-05680	75'	3,000	Blue
77700-05681	100'	6,000	Grey

Steel Braided 1-Ply Pressure Washer Hoses

- 3/8" MNPT
- Includes quick connect fittings with quick connect couplers
- 250°F max. temperature



Steel Braided 2-Ply Pressure Washer Hoses

- 3/8" MNPT
- Includes quick threaded fittings
- 250°F max. temperature



Part No.	Length	Max. PSI	Color
77700-05682	50'	6,000	Grey
72000-02754	75'	6,000	Grey
77700-05683	100'	6,000	Grey
72000-02755	150'	6,000	Grey
72000-02756	200'	6,000	Grey

Linear Flat Surface Cleaner



77700-05691

- 16" cleaning width
- 4,000 PSI max.
- 4.3 GPM max.

72000-02757

- 12" cleaning width
- 3,100 PSI max.
- 3 GPM max.

Rotary Flat Surface Cleaner

77700-05692

- 16" rotating surface cleaner
- Polyethylene drum
- 4,000 PSI max.
- 8 GPM max.
- 2 # 25025 tips



Telescopic Boom

77700-05693

- 18' fibre telescopic wand
- Rated to 4,000 PSI max.
- 8 GPM max.
- Adjustable from 6' to 18'



Boom Harness

72000-02761

- Recommended for use with telescopic boom—reduces operator fatigue



Gutter Cleaner

77700-05694

- Gutter cleaner attachment



Industrial Spray Gun for Cold Water


- Industrial quality with comfortable grip
- Part no. 77700-05687 includes dual lance for rinsing and quick connect fittings



Part No.	Wand	PSI	GPM
77700-05684	36"	2,750	7
77700-05685	36"	5,000	10.4
77700-05687	38" Dual Lance	5,000	10.4

Industrial Spray Gun for Hot Water

- Industrial quality with comfortable grip
- 300°F



Part No.	Wand	PSI	GPM
77700-05686	36"	5,000	10.4
77700-05688	38" Dual Lance	5,000	10.4

ShockStrap® Load-Absorbing Ratchet Straps

- **Dependable** - a ShockStrap® provides superior shock absorption without coming loose—keeps tension on the strap
- **Safety Strap** - a backup strap in case the ShockStrap® is compromised
- **Durable** - made from our proprietary formula that is not affected by most chemicals, sunlight, oil, salt water, fungus or moisture
- **Rust Resistant** - hooks and buckle are yellow zinc coated, which lasts 8 to 10 times longer than chrome plating
- **Soft Loop** - flexibility to always find a way to secure your load

Item No.	L x W	Break Strength	Work Load
77700-10680	9' x 2"	6,000 lbs.	2,000 lbs.
77700-10681	18' x 2"	6,000 lbs.	2,000 lbs.



Deluxe RTV Cargo Box

77700-08760

- Requires two pairs of KAS Clamps (K7811-99560) and one Mounting Bracket (77700-V0838) (must be ordered separately)
- Kubota engineering designed and approved
- Deluxe RTV Bed Box features 4.5 cu. ft. of cargo capacity
- Tough and durable polyethylene construction resists corrosion, water and dust
- Lockable latches to secure your cargo
- Easy-to-lift covers with lock in detents providing easy access from either side of the box
- Sliding and removable tool trays for better organization
- Fits RTV-X900, RTV-X1100, RTV-X1120, RTV-X1140 and RTV-XG850



K7811-99560, must be ordered separately



Fire Extinguisher Mount 77700-10709

- Secures fire extinguishers up to 3.5" in diameter
- Universal design mounts to round tube roll cages up to 2.25"
- Patented low-profile mounting
- Adjustable clamps secure most fire extinguishers
- Fire extinguisher not included



Sideview Mirror 77700-10706

- Huge field of view
- Universal mounting
- Dual axis breakaway
- Three-way adjustment
- Adjustable blindspot mirror
- Anti-vibration technology
- Fits 1.25" to 2" roll cages
- Fits left or right side
- Easily return mirror to your preset position each time it breaks away for consistent viewing alignment



Safety Dust Mask



Bandana Style
Dust Mask



Neoprene Dust Mask

Dust Masks

- Washable and reusable
- Improved design provides maximum comfort
- No replacement filters needed
- Compatible with open and closed face helmets and goggles

Item No.	Description
77700-10710	Universal Safety Dust Mask
77700-10711	XL Safety Dust Mask
77700-10712	Camo Safety Dust Mask
77700-10713	Neoprene Dust Mask
77700-10714	Red Bandana Style Dust Mask
77700-10715	Black Bandana Style Dust Mask



Radio

W21UA-MS003 & W21UA-MS006

- Heavy-duty radio for use on agricultural tractors
- AM/FM tuner
- Removable coloured front panel with LCD
- Integrated Bluetooth® with front microphone (additional port included)
- iPod/iPhone-ready via front USB
- Maximum wattage output (4 x 45W)
- CD/MP3/Windows Media Audio-ready
- Port for SD card
- AUX-IN port



W21UA-MS003



W21UA-MS006

Non-binding visuals



Steering Wheel Knob

W21TS-08689

- This steering wheel knob fits directly onto the steering wheel branch no modifications required
- This accessory ensures a better grasp; it facilitates operation, especially when using the loader, or when operating the K-monitor

Car Mat

Rubber W21PS-G0006

Fabric W21PS-G0007

- Rubber car mat (1)
 - Resists heavy traffic, spills and chemical burns
 - Customized shape for perfect fit on cabin floor
 - Metallic Kubota plate (3.9") screwed into front of mat
 - Clean with high pressure water jet
- Fabric car mat (2)
 - Resists heavy traffic
 - Customized shape for perfect fit on cabin floor
 - Kubota logo (9.8") stitching at edge of mat near cabin threshold



W21PS-G0865



W21PS-G0748

Passenger Seat Cover

W21PS-G0865 & W21PS-G0748

- Fitted passenger seat cover for dirty and unsanitary environments
- 2 models:
 - Synthetic black and orange leather
 - Synthetic black leather with orange topstitching

Operator's Seat Cover

W21PS-G0048 / W21PS-G0065 / W21PS-G0050

- Fitted seat cover to protect the original upholstery from dust and dirt
- Perfectly fitted to the seat shape, this cover offers premium seat protection without compromising comfort
- 3 models:
 - Synthetic black leather with orange topstitching
 - Synthetic leather with orange leather
 - Black fabric with reinforced synthetic leather
- Optional customized embroidered seat cover (contact Parts Department)
- Made to fit GRAMMER MSG95AL/721 and MSG97AL/731 seat



W21PS-G0048



W21PS-G0065



W21PS-G0050





Kubota On-Tour Truck

7200003905

- Durable die cast construction with molded components
- High quality painted finish and logos, a true classic that you will want for your collection
- Movable rubber tires
- Cab disconnects from the trailer
- Rear door lifts up and into the trailer
- Cab is a licensed replica of a Peterbilt 387 model

[LIMITED STOCK]



L200 Serialized Die Cast

77700-05571

- Highly detailed model of the first and original L200 Kubota tractor sold in America
- Authentic tire tread design
- Sturdy die cast construction will retain its durability and great looks for years to come
- Includes a high quality collectors clear cover

M7-171 Collectible Tractors

77700-06484

With Dual Rear Tires 77700-06486

With Front Weight 7200002748

- A true classic you will want for your collection
- Rugged die cast construction for lasting value and durability
- Movable rubber tires
- High quality painted finish and logo



77700-06484



77700-06486



7200002748

1:24

COLLECTIBLE



360°

[LIMITED STOCK]



RA2071S Twin Rotary Rake

77700-05697

- Durable and rugged die cast, plastic and rubber construction
- A collectors model you will cherish, featuring intricate detail and finish
- Rotary rake assembly really does move 360°
- Movable rubber tires

1:32

COLLECTIBLE



360°



[LIMITED STOCK]

DM2032 Disc Mower

77700-05698

- Durable die cast construction
- Accurate scale design with detailed features and graphics
- Three bladed discs like the real machine
- Mower can be folded to vertical position

M9960 Tractors

77700-06161

With Loader 77700-06196

- Die cast construction for years of lasting durability
- Intricate, accurate detail includes rear hitch for farm implement attachment
- High quality painted finish and logos, a true classic that you will want for your collection
- Movable rubber tires

[LIMITED STOCK]

77700-06196



1:32

COLLECTIBLE



77700-06161





RTV-X1120 Utility Vehicle

77700-06466

- The popular RTV now available in a collectible!
- Rugged die cast construction with rubber movable wheels
- Accurate scale model with high quality detail and graphics
- Tilt up dump cargo box



SSV65 Skid Steer

77700-06129

- Rugged die cast construction featuring intricate detail and finish
- Fully functioning bucket raises/lowers and tilts
- Movable rubber tires



RIDE-ON TOYS (3-7 YEARS)

M135GX Pedal Tractor

77700-10155

- Genuine pedal replica of the M135GX model
- Play as both gardener and farmer
- Equipped with a steering wheel with horn
- Guarantees hours of outdoor play activities
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel



M135GX Pedal Tractor with Trailer

77700-10156

- Genuine pedal replica of the M135GX model
- Easily attach the trailer with side panels
- Trailer allows the transport of sand, leaves, soil and stones
- Equipped with a steering wheel with horn
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel
- Your little one will enjoy time pretending to be a gardener and farmer!



M5-111 Pedal Tractor

77700-06374

- Get ready to ride your very own pedal tractor!
- Metal die cast pedal tractor styled after the classic M5-111 Kubota tractor
- Chain drive tractor—encourages kids to be active!
- Authentic Kubota graphics and colors
- Large rear tires provide easy traction and movement
- Full-function steering
- For the next generation of Kubota owners, ages 3 and up



M135GX Pedal Tractor with Loader & Trailer

77700-10157

- Durable molded plastic tractor with high quality detail and durable, bright finish
- Full control loader handle lets you scoop, carry and dump sand, gravel, dirt and more
- Comfortable bucket seat with back rest
- Tire treads provide traction on pavement, grass, gravel and dirt
- Use the matching, detachable trailer to deliver and load cargo to where it needs to go
- Kids will love this pedal tractor, whether they are pretending to be a construction worker or farmer!



M135GX Pedal Tractor with Front Loader & Rubber Tire Bands

77700-10164

- Genuine pedal replica of the M135GX model
- Equipped with an articulated front loader
- Transport leaves, sand and soil
- Play as both gardener and farmer
- Equipped with a steering wheel with horn
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel



2-Wheel Dumper Trailer

77700-10162

- Giant Kubota dumper trailer tips on two wheels
- Fits any Kubota ride-on tractor



2-Wheel Tanker Trailer

77700-10163

- Carry and pour up to 20 liters of water
- Equipped with spreader
- Perfect accessory to have fun all summer long

M7-171 Pedal Tractor with Front Loader & Trailer

77700-10165

- Genuine pedal replica of the M7171 model
- Equipped with an articulated front loader
- Transport leaves, sand and soil in either the trailer or front loader
- Easily attach the trailer with side panels
- Equipped with a steering wheel with horn
- The bucket loader, trailer and rear shovel will keep your pint-sized construction worker busy for hours!



NEW



KX080-4 Excavator with Hard Hat

77700-11006

- Genuine ride-on replica of the KX080-4 Excavator model
- Imagine you're a construction site manager with the hard hat
- Comes equipped with a 360° swiveling cab with a fully operational articulated arm and an 8-wheel chassis
- Transport sand and stone

M7-171 Pedal Tractor with Trailer

77700-10158

- Genuine pedal replica of the M7171 model
- Easily attach the trailer with side panels
- Transport of sand, leaves, soil and stones
- Equipped with a steering wheel with horn
- Stake sided trailer lets your little one load up sticks, leaves and more
- This pedal-powered tractor will entertain your little farmer for hours! A fun way to exercise and develop pedaling/riding skills.



M7-151 Push-Along Tractor

77700-10159

With Trailer 77700-10160

With Push Handle 77700-10161

- Genuine push-along replica of the M7-151 model
- Allows your baby to develop balance and motor skills while having fun
- Easy to maneuver due to the directional handlebar
- Use inside or out
- Lightweight and durable materials
- Farm tractor wheels ensure traction on pavement, grass, dirt or gravel
- Equipped with removable trailer, easily added and detached (77700-10160 only)
- Use the push handle on walks as a gentle guide (77700-10161 only)



77700-10160



Included in
77700-10161



TRACTORS



M5-111 Farm Tractor with Front Loader

77700-10055

- Diecast chassis with plastic parts
- Fully functioning bucket loader raises/lowers and tilts
- Movable plastic wheels



Tractor & Wagon Set

77700-03892

- Durable molded construction
- Life-like detail and graphics
- Great for play, your collection or a gift!
- Enjoy hours of pretend fun and play with this durable Kubota farm toy
- Both the M5-111 tractor and wagon feature free moving tires

Truck & Tractor Set

77700-03894

- Durable molded construction
- Life-like detail and graphics
- Great for play or your collection
- Includes hay bales and crates containing corn, tomatoes and potatoes





Pull Back...

Let it Go!



RTV-X1120D



NEW

24-Piece Pull-Back Set

77700-11068

- Reverse-wind spring motor
- Metal axle and wheels that turn (rotate)
- SSV65 features a movable arms with pivoting bucket
- M5-111 features movable arms
- Includes: Eight each; SSV65 Pull-Back, RTV-X1120D Pull-Back, M5-111 Pull-Back



SSV65



M5-111



24-Piece Pull-Back Set

77700-11069

- Reverse-wind spring motor
- Metal axle and wheels that turn (rotate)
- R630 features a movable arms with pivoting bucket
- KX040-4 features a movable boom with pivoting bucket
- R630 Pull-Back (77700-07901) and KX040-4 Skid Steer Pull-Back (77700-07904) available to purchase individually
- Includes: Eight each; RTV-1140CPX Pull-Back Utility Vehicle, R630 Pull-Back, KX040-4 Skid Steer Pull-Back

NEW



RTV-1140CPX



R630



KX040-4



Z700 Pull-Back

77700-07902

- Reverse-wind spring motor
- Metal axle and wheels that turn (rotate)
- Hard rubber tires

PRESCHOOL (18 MONTHS +)



My Lil' Orange Excavator & Wagon

77700-10778

- Authentic Kubota colors and graphics
- Bucket loader raises/lowers
- Movable plastic wheels on wagon and under tracks

My Lil' Orange Tractor & Wagon

77700-10779

- Authentic Kubota colors and graphics
- Movable plastic wheels



My Lil' Orange Tractor & Farm Animals

77700-10780

- Authentic Kubota colors and graphics
- Bucket loader raises/lowers
- Movable plastic wheels
- Horse and cow figures



My Lil' Orange SSV with Figure & Boulders

77700-10781

- Authentic Kubota colors and graphics
- Bucket loader raises/lowers
- Movable plastic wheels
- Plastic figure & boulders



SSV65 Skid Steer with Loader & Attachments

77700-06297

- Authentic engine and horn sound effects
- Fully functional arms with pivoting assembly that accepts attachments
- Hay bales included
- Movable rubber wheels and durable molded construction
- Realistic detail and graphics
- Interchangeable attachments include Bucket, Forks, Grapple Bucket & Auger



1:18



FARM & RANCH SETS



L6060 Tractor with Ranch Cows Playset

77700-08697

- Enjoy hours of fun playtime with the tractor featuring lights and sound, and the fully functioning bucket and backhoe
- Livestock corral with 7 detachable sections
- Includes: One each; L6060 Tractor, Hay Bale, Round Hay Feeder, Rake, Pitchfork, Shovel, Hoe, Poseable Figure, Seven each; Livestock Corral Sections



BX2670 Lawn Tractor & Turf Playset

77700-10057

- Discharge chute tilts up
- Adjustable ROPS
- Action figure with movable arms
- Movable plastic wheels
- Work helmet with adjustable face guard
- Includes: One each; Kubota BX2670 Lawn Tractor, Work Helmet, Weed Trimmer, Chainsaw, Leaf Blower and Poseable Figure



BX2670 Compact Tractor with Front Loader Playset

77700-10056

- Fully functioning bucket loader raises/lowers and tilts, with adjustable roll bar
- Action figure with movable arms
- Movable plastic wheels
- Includes: One each; Kubota BX2670 Tractor, and Action Figure, Four each; Plastic Lawn Tools

77700-08698

- Your little farmer will love playing with this farm set, which contains animals, crops and a B-Series Tractor with easy to assemble barn and fencing
 - Includes: One each; Barn, Horse, Cow, Calf, Sheep, Lamb, Corn Row, Barrel of Corn, Barrel of Tomatoes, Kubota BX2670, Trailer, Poseable Figure, Six Each; Fence Sections



77700-07898

- Classic 18-piece farm set
- When your day on the farm is done, put all the vehicles and animals in the large shed
- Features M5-111 and SSV65 Pull-Back tractors
- Includes: One each; M5-111 Pull-back, SSV65 Pull-back, Shed, Stake Truck, Flatbed Trailer, Two Each; Cows, Horses Three Each; Square Hay Bales, Six Each; Fence Sections



77700-08699

- Time for chores! And of course lots of fun time with the 16-piece ranch playset.
- Features RTV-X1120D with movable rubber tires
- Includes: One each; Horse Stable, Kubota RTV-X1120D, Saddle, Saddle Holder, Trough, Wheelbarrow, Hay, Poseable Figure, Bucket, Hanging Hay Feeder, Two Each; Horses, Six Each; Fence Sections

CONSTRUCTION SETS



Farm Tractors & Flatbed Semi Playset

77700-08700

- Load up the big rig and start hauling...semi tractor with detachable flatbed, moveable rubber wheels for hours of fun
- Durable diecast and plastic molded construction
- Features the SSV65 Skid Steer, M5-111 Tractor and RTV 1140 Pull-back toys
- Includes: One each; Diecast Semi Tractor, Flatbed Trailer, SSV65 Skid Steer Pull-back, M5-111 Tractor Pull-back, RTV 1140 Pull-back, Four each; Round Hay Bales, Six each; Square Hay Bales



M5-111 Tractor with Wagons & Grain Bin Set

77700-07896

- Enjoy hours of fun dispensing seed, grains or rice from elevated grain bin into the wagon
- Tractor and wagons feature movable rubber wheels
- Includes: One each; M5-111 Farm Tractor, Elevated Grain Bin, Wind Turbine, Two Each; Wagons, Round Hay Bales, Wheat Rows



Construction Equipment & Shed Set

77700-07897

- This 19-piece set provides all the young mind needs to build that road, reshape the land, and more
- Durable molded components featuring detailed graphics
- When done playing, put all the construction pieces into the large shed
- Features R630 and KX-040 Pull-Back vehicles
- Includes: One each; R630 Pull-Back, KX-040 Pull-back, Shed, Construction Barricade, Pickup Truck, Utility Trailer, Two each; Lubrication Barrels, Three each; Boulders, Warning Cones/Triangle, Five each; Directional Signs



Construction Equipment & Dump Truck Playset

77700-08701

- Have fun reshaping the land with this playset! Little construction workers will have a fun filled day with the dump truck and trailer with lift up gates and tilting beds.
- Durable diecast and plastic construction
- Features three Pull-back toys—KX040 Excavator, SSV65 Skid Steer and R630 Wheel Loader!
- Includes: One each; Diecast Semi Tractor with Dump Truck Bed, Dump Trailer, Trailer, KX040 Excavator Pull-back, SSV65 Skid Steer Pull-back, R630 Wheel Loader Pull-back, Three each; Detailed Boulders



Diecast Construction Equipment & Crane Playset

77700-10060

- This multi-piece set will keep any youngster occupied with playing on make-believe worksites
- Trolley moves back and forth and winch lowers bucket up and down
- Tower crane arm rotates 360°
- Fully functioning bucket loader raises/lowers and tilts
- Features R630, SSV65 and KX-040 Pull-Back vehicles
- Includes: One each; R630 Pull-Back, SSV65 Pull-Back, KX-040 Pull-Back, Crane with Bucket, Two each; Barrels, Three each; Boulders



BUILDING BLOCKS

B26TLB Tractor Building Blocks Set

77700-09185

- Contains 240+ pieces
- Exclusive design featuring detailed & movable parts
- Durable, bright colored plastic blocks
- Compatible with other building block brands
- Includes inner cardboard tray with poly-bagged blocks, decal sheet & instruction manual
- Includes: One each; B26TLB Tractor Block Toy, Kubota Figure, Nine each; Block Pieces for scooping



RTV-X900 Building Blocks Set

77700-08679

- Contains 182+ pieces
- Features tilting rear dump bed with opening tailgate
- Compatible with other building blocks
- Inner cardboard tray with poly bagged blocks, decal sheet & instructions
- Includes: One each; RTV-X900 Toy, Kubota Figure, Dog, Tool Box, Shovel, Binoculars, Wrench, Flashlight, Walkie-Talkie, Sack



M5-111 Tractor & BV5160 Baler with Three Building Block Round Bales Set

77700-07593

- Durable, bright colored plastic blocks
- Compatible with other building block brands
- Exclusive design featuring detailed and movable components—over 400 pieces!
- Includes: One each; M5-111 Tractor, BV5160 Baler, Kubota Figure, Inner Cardboard Tray with Poly Bagged Blocks, Decal Sheet & Instruction Manual, Three each; Building Block Round Bales



RTV-XG850 Building Block Set

77700-10392

- Contains 292 pieces
- Features tilting cargo box with opening tailgate
- Compatible with other building blocks
- Durable, bright-colored plastic blocks
- Inner cardboard tray with poly bagged blocks, decal sheet & instructions
- Accessories include: One each; RTV-XG850 Toy, Kubota Figure, Dog Figure, Tool Box, Shovel, Binoculars, Wrench, Flashlight, Walkie-Talkie, Sack



SPECIALTY TOYS



RTV-X1140 Deer Hunting Playset

77700-10058

- Load up the RTV and head out for a fun filled day of hunting deer with this playset
- Movable figures and durable, life-like RTV bring the outdoors to life
- Camouflage RTV-X1140 features the pull-back-n-go action
- Includes: One each; Kubota RTV-X1140 Pull-Back, Seated Hunter Figure, Standing Hunter Figure, Three Each; Deer Figures



RTV-X1120 Duck Hunting Playset

77700-10059

- Just add water—this fun filled action duck hunt set is sure to please any little hunter
- Durable action figures and RTV in camouflage make for a perfect day of pretend hunting and fun!
- Features the camouflage RTV-X1120 Pull-Back
- Includes: One each; Kubota RTV-X1120 Pull-Back, Two Each; Detailed Hunter Action Figures, Four Each; Duck Figures

RTV-X1120D Hunting Set

77700-07900

- Take an imaginative hunting trip adventure with this life-like action hunting set
- Durable construction for years of enjoyment
- Camouflage gear for the great outdoors and an RTV with moveable wheels to get you over that rugged terrain
- 14-piece set provides hours of imaginative fun and adventure
- Includes: One each; RTV-X1120D, Outdoorsman Figure, Tripod Deer Stand, Camouflage Ground Blind, Compound Bow, Two Each; Hunting Dogs, Three Each; Deer Figures, Duck Figures, Four Each; Firearms





[LIMITED STOCK]



Kubota Dominoes

77700-07906

- Includes 28 plastic dominoes
- No reading necessary to play
- Match the most dominoes to win!
- Convenient tin for storing



Key Chains

M7 Key Chain 77700-07254

Excavator Key Chain 77700-07255

- Perfect for your kids' backpack or purse, or your Kubota tractor key!
- High quality with authentic Kubota colors

[LIMITED STOCK]



1:20



10 Piece Turf Truck Set

77700-06298

- Equip your child with all the turf maintenance equipment needed to get the job done!
- Movable rubber tires and durable molded construction is tough enough for indoor or outdoor play!
- Rear trailer door opens so you can load up and haul the Lawn Tractor to the new job site
- Includes: One each; Trailer with Pull-Out Side Canopy and Loading Ramp, Kubota Pickup Truck, Lawn Tractor, Poseable Figure, Mower Deck, Back Pack Leaf Blower, Grass Trimmer, Chain Saw, Protective Helmet with Shield and Convenient Caddy for Accessory Tools



Z700 Mower with Dodge Pickup Truck & Trailer

77700-10527

- Features the Z700 Mower pull-back toy with movable rubber wheels
- Diecast pickup truck with doors that open and close and movable plastic wheels
- Durable molded trailer with a ramp that raises and lowers for easy loading/unloading
- Includes: One each; Pull-back Toy, Diecast Pickup Truck, Trailer



77700-08702



77700-08703



77700-08704



77700-08705

Pull-Back Tractor with Chevy Pickup Truck & Trailer

SSV65 Skid Steer 77700-08702

M5-111 Tractor 77700-08703

KX040 Excavator 77700-08704


R630 Wheel Loader 77700-08705

- Features the pull-back toy with a fully functioning bucket loader/front shovel and blade
- Diecast pickup truck
- Trailer ramp raises and lowers for easy loading/unloading
- Includes: One each; Pull-back Toy, Diecast Pickup Truck, Trailer

Embossed Aluminum Signs

- High quality aluminum with embossed graphics
- Attractive and bold permanent color printing for lasting impression
- Pre-drilled holes for easy hanging
- Size: 12" x 16"

Part No.	Sign Text
7200005417	Reserved Parking
7200005418	Real Parts, Real Pros
7200005419	Highly Engineered, Guaranteed Performance



Embossed
graphics





Kubota Embossed Thermometer Sign

7200005420

- Easy reading 7" glass thermometer reads from 120° F/ 50° C down to -20°F / -30°C
- High quality aluminum with embossed graphics
- Durable and bright color printing for lasting impression
- Predrilled holes for easy hanging
- Size: 5" x 16"

4GB USB Drive

7200003906

- Kubota branded 4GB thumb drive




New Genuine Parts Signs

7200002802

- Size 16"x 12"
- Heavy duty tin
- Digitally printed





www.kubota.ca

© 2020 Kubota Canada Ltd.

Kubota Canada Ltd. reserves the right to change the stated specifications without notice. The catalogue is for descriptive purposes only and does not provide any express or implied warranty of any nature, including any warranty of merchantability or for a particular purpose. For complete operational information, the operations manual should be consulted. Kubota Canada Ltd. supplies products and services to Canadian residents only. For information regarding Kubota products or services outside Canada, see the Kubota Corporation's global website.